

# CHAPTER SEVEN

## displays and LED crosses

| CLOCK OD/ODT     |               |                                                                 | Date           |
|------------------|---------------|-----------------------------------------------------------------|----------------|
|                  | CLOCK OD info | <b>INFO CLOCK OD</b>                                            |                |
| Pag.             | 7.01          | CLOCK OD IN/OUT MONO./BIF.                                      | June 2025      |
| Pag.             | 7.02          | CLOCK OD IN/OUT MONO./BIF.                                      | September 2020 |
| LED DISPLAYS     |               |                                                                 |                |
| Pag.             | 7.05          | ALPHANUMERIC DISPLAY STEP 10 MONOF.                             | April 2025     |
| Pag.             | 7.05B         | ALPHANUMERIC DISPLAY STEP 10 BIF.                               | April 2025     |
| Pag.             | 7.06          | ALPHANUMERIC DISPLAY STEP 16 MONOF.                             | April 2025     |
| Pag.             | 7.06B         | ALPHANUMERIC DISPLAY STEP 16 BIF.                               | April 2025     |
| Pag.             | 7.07          | OUTDOOR T-CITY MODULAR DISPLAY HC 70/HC 110                     | March 2023     |
| Pag.             | 7.08 - 7.08A  | OUTDOOR GRAPHIC DISPLAYS PITCH 3.91/4.81/6.67/2.60              | April 2023     |
| Pag.             | 7.09          | MONOF DISPLAY FOR PHOTOVOLTAIC MONITORING WATT SUN 1/WATT SUN 3 | April 2023     |
| Pag.             | 7.10          | MONOF DISPLAY FOR PHOTOVOLTAIC MONITORING WATT SUN 4/WATT SUN 5 | April 2023     |
| Pag.             | 7.11          | NEXTY QUEUE DISPLAY                                             | December 2023  |
| PHARMACY CROSSES |               |                                                                 |                |
| Pag.             | 7.15          | LED CROSS 150-120                                               | February 2025  |
| Pag.             | 7.16          | LED CROSS 120-100-90                                            | February 2025  |
| Pag.             | 7.17          | LED CROSS 90                                                    | February 2025  |
| Pag.             | 7.18          | LED CROSS 90-70                                                 | February 2025  |
| Pag.             | 7.19          | LED CROSS 70-60-50-40-30                                        | February 2025  |
| Pag.             | 7.20          | CROSSES ACCESSORIES                                             | February 2025  |



CROWN COLOUR (GREEN)



INTERNAL GRAPHIC COLOUR/INFO (ES. GREEN)



MULTICOLOUR

## GENERAL SALES CONDITIONS

### INTRODUCTION

All the hereunder conditions are intended and accepted for each order you send to us.

Prices do not include VAT and extra fees eventually needed. Any change in prices will be agreed before the delivery.

### 1. ORDERS

All orders are accepted and executed on the basis of the following conditions, which will govern future deliveries, even when not reproduced.

All orders should be sent to us by fax or e-mail. Except in case of different agreements, we will debt a fixed contribution of € 15,00.

= (as partial reimbursement for bank and customs fees).

### 2. DELIVERIES

Goods are delivered at the buyer's risk.

Quoted times for delivery are not binding. Buyers cannot refuse the goods or ask for a reimbursement in case of delayed delivery.

### 3. COMPLAINTS AND RETURN OF GOODS

The client must check the condition of the goods upon its arrival and, in case of damage, to take the proper actions.

Shortcomings in quantity and quality may be claimed in written form, within 8 days from the receipt of the goods.

If the claim is prompt and justified, Buyers have exclusively entitlement to replacement of the products.

Abatements as well as making good of direct or indirect loss shall not be possible.

### 4. PAYMENTS

If the customer defaults on the payment of an invoice or an installment, any and all other outstanding invoice amounts or installments shall immediately become due and payable. Consumers shall pay interest on the money debt during the time of default of € 25,00 plus a 7 points above the base rate. As far as Business Enterprises are concerned, we reserve the right to prove and claim a higher damage caused by the delay in payment.

In these cases, we will be unable to accept and execute any further orders until the settlement has been received.

### 5. TECHNICAL DATA

We reserve ourselves the right to modify the technical data stated, at any time and without notice.

On request, we will give assistance to the customers for the best use of the products, on the basis of available experience.

### 6. CONTROVERSIES

In case of lawsuits the competent court will be the one in Treviso.

### 7. PRIVACY

Our privacy policy updated in accordance with articles 13-14 of EU Regulations 2016/679 is available on our website [www.cmngroup.eu](http://www.cmngroup.eu), section "Conditions and Privacy".

## INFO CLOCK OD

### CLOCK OD

The new generation OD Clock displays offer innovative services compared to classic clocks / data transforming them into real information stations, among the functions included you will have the


- Manage display functions from PC rather than from Tablet, Ipad or iPhone. (STANDARD)
- Display Time in the format HH: MM. (STANDARD)
- Display Date in the format DD: MM. (STANDARD)
- Connection to NTP server for precise time updating. (STANDARD)
- Change the color of the writing among the 7 available. (STANDARD)
- Choose to display the latest news automatically on the bottom banner of the display which will be sent every 15 minutes by the main newspapers. (ACCESSORY NW01)
- Display temperature. (ACCESSORY TP01)
- View the weather forecast. (ACCESSORY MT01)



### CLEAN DESIGN

The structure of the T-city displays is designed to be as simple as possible even for maintenance. Only 3 components that, assembled according to customer requests, form the complete display of all Clock OD 2019 features.

The RGB LED matrices are assembled modularly so as to compose the display with the dimensions requests from the customer.



### www.t-city.it SYSTEM

All panels are connected 24/24 to the T-city portal, the most dynamic and comfortable way to manage with maximum freedom the information of Date, Time, Temperature, Weather Forecast, News ...



### OD FUNCTIONS

All versions are made with multicolor LED matrices, integrated geolocalizer, 24/24 connection, clock, date display, connection to the NTP server, color setting software, with the possibility to enrich personalization with accessories.

### MECHANICAL PRODUCT DETAILS

- Type of structure: Fondo / Cover V. 2019.
- Material: prepainted aluminum.
- IP54 protection. (FOR EXTERIORS)
- Vietria: INOX
- BOX color: Silver. (STANDARD) (POSSIBILITY OF PAINTING ON SPECIFIC RAL)
- Installation: L brackets for wall mounting.
- Additional protection: aluminum canopy included in all supplies.
- LED matrix: front access for P10 and P16, rear access for P8.
- Power supply: Internal.
- Power supply: 110-220V (POSSIBILITY OF CHANGE ON REQUEST)

### CONNECTIONS COMMUNICATION

- Standard Connections: Power supply + ethernet LAN cable.
- Accessory available connections: temperature sensor with 3 m cable.
- cable for Alarm / alarm kit, cable for countdown stopwatch kit.
- Cable exit: rear side with Pg11.
- Rear protection: IP54.

## CLOCK OD

### CLOCK OD INDOOR/OUTDOOR SINGLE-FACE (7 COLORS)

| Code       | Description                                                                  | IP Class | €/Pcs. |
|------------|------------------------------------------------------------------------------|----------|--------|
| ROD3216P8  | CLOCK OD 32x16 PXL P8 - HC 120 mm. - DIST. 40 m. - 276x148x75 mm. - 4 CRT    | 54       | 995    |
| ROD6416P8  | CLOCK OD 64x16 PXL P8 - HC 120 mm. - DIST. 40 m. - 532x148x75 mm. - 4 CRT    | 54       | 1042   |
| ROD3216P10 | CLOCK OD 32x16 PXL P10 - HC 160 mm. - DIST. 40 m. - 340x180x75 mm. - 4 CRT   | 54       | 1050   |
| ROD6416P10 | CLOCK OD 64x16 PXL P10 - HC 160 mm. - DIST. 60 m. - 660x180x75 mm. - 4 CRT   | 54       | 1188   |
| ROD6432P8  | CLOCK OD 64x32 PXL P8 - HC 240 mm. - DIST. 70 m. - 532x276x75 mm. - 4 CRT    | 54       | 1214   |
| ROD4816P16 | CLOCK OD 48x16 PXL P16 - HC 250 mm. - DIST. 100 m. - 785x276x75 mm. - 4 CRT  | 54       | 1919   |
| ROD6432P16 | CLOCK OD 64x32 PXL P16 - HC 400 mm. - DIST. 160 m. - 1040x530x75 mm. - 4 CRT | 54       | 3367   |
| ROD9632P16 | CLOCK OD 96x32 PXL P16 - HC 500 mm. - DIST. 200 m. - 1550x530x75 mm. - 4 CRT | 54       | 3992   |
| ROD9648P16 | CLOCK OD 96x48 PXL P16 - HC 605 mm. - DIST. 300 m. - 1550x785x75 mm. - 4 CRT | 54       | 5939   |



### CLOCK OD INDOOR/OUTDOOR DOUBLE-FACE (7 COLORS)

| Code        | Description                                                                | IP Class | €/Pcs. |
|-------------|----------------------------------------------------------------------------|----------|--------|
| ROD3216P8B  | CLOCK OD 32x16 PXL BIF. P8 - HC 120 - DIST. 40 m. - 276x148x105 - 4 CRT    | 54       | 1341   |
| ROD6416P8B  | CLOCK OD 64x16 PXL BIF. P8 - HC 120 - DIST. 40 m. - 532x148x105 - 4 CRT    | 54       | 1409   |
| ROD3216P10B | CLOCK OD 32x16 PXL BIF. P10 - HC 160 - DIST. 40 m. - 340x180x105 - 4 CRT   | 54       | 1396   |
| ROD6416P10B | CLOCK OD 64x16 PXL BIF. P10 - HC 160 - DIST. 60 m. - 660x180x105 - 4 CRT   | 54       | 1710   |
| ROD6432P8B  | CLOCK OD 64x32 PXL BIF. P8 - HC 240 - DIST. 70 m. - 532x276x105 - 4 CRT    | 54       | 1749   |
| ROD4816P16B | CLOCK OD 48x16 PXL BIF. P16 - HC 250 - DIST. 100 m. - 785x275x105 - 4 CRT  | 54       | 2814   |
| ROD6432P16B | CLOCK OD 64x32 PXL BIF. P16 - HC 400 - DIST. 160 m. - 1040x530x105 - 4 CRT | 54       | 5879   |
| ROD9632P16B | CLOCK OD 96x32 PXL BIF. P16 - HC 500 - DIST. 200 m. - 1550x530x105 - 4 CRT | 54       | 7040   |
| ROD9648P16B | CLOCK OD 96x48 PXL BIF. P16 - HC 605 - DIST. 300 m. - 1550x785x105 - 4 CRT | 54       | 10214  |



| Accessories Code | Description                                                            | Included | €/Pcs.   |
|------------------|------------------------------------------------------------------------|----------|----------|
| RCLOCKSYNC5      | CLOCK SYNCHRONIZER - ALLOWS TO SYNCHRONIZE TIME AND DATE               | YES      | -        |
| RCLOCKSYNC10     | CLOCK SYNCHRONIZER - ALLOWS TO SYNCHRONIZE TIME, DATE, WEATHER, ALERTS | NO       | € 112,00 |
| RMT01            | WEATHER FORECAST KIT - ALLOWS TO DISPLAY THE WEATHER OF THE DAY        | NO       | € 180,00 |
| RMTA             | WEATHER ALERT KIT - ALLOWS TO DISPLAY WEATHER ALERTS                   | NO       | € 670,00 |
| RNW01            | VIEW THE SLIDING NEWS IN THE BOTTOM OF THE DISPLAY                     | YES      | € 180,00 |
| RPM01            | FINE DUST KIT - ALLOWS TO DISPLAY THE VALUE OF PM10 OR 2.5             | NO       | € 388,00 |
| RTP01            | TEMPERATURE SENSOR - WITH 3 m CABLE. + THERMOMETER ICON                | NO       | € 98,00  |
| RNA0             | ALARM / SIREN NA FOR ADDITIONAL SIREN MANAGEMENT                       |          | € 235,00 |
| RCD01            | COUNTDOWN - COUNT-UP CARD                                              | NO       | € 290,00 |
| -                | FLAG BRACKETS                                                          | BASIC    | -        |

## LED DISPLAY

### ALFANUMERIC DISPLAY P. 10 mm. SINGLE-FACE (MATRIX 320x160 MM - MULTICOLOR MULTIDIMENSION)

| Code        | Size           | IP Class | €/Pcs.     | Code        | Size           | IP Class | €/Pcs.     |
|-------------|----------------|----------|------------|-------------|----------------|----------|------------|
| RWD3216P10  | 320x160x75 mm  | 54       | € 431,00   | RWD19216P10 | 1920x160x75 mm | 54       | € 1.249,00 |
| RWD6416P10  | 640x160x75 mm  | 54       | € 600,00   | RWD22416P10 | 2240x160x75 mm | 54       | € 1.445,00 |
| RWD9616P10  | 960x160x75 mm  | 54       | € 768,00   | RWD25616P10 | 2560x160x75 mm | 54       | € 1.664,00 |
| RWD12816P10 | 1280x160x75 mm | 54       | € 937,00   | RWD28816P10 | 2880x160x75 mm | 54       | € 1.903,00 |
| RWD16016P10 | 1600x160x75 mm | 54       | € 1.105,00 | RWD32016P10 | 3200x160x75 mm | 54       | € 2.069,00 |
| RWD3232P10  | 320x320x75 mm  | 54       | € 600,00   | RWD19232P10 | 1920x320x75 mm | 54       | € 2.412,00 |
| RWD6432P10  | 640x320x75 mm  | 54       | € 937,00   | RWD22432P10 | 2240x320x75 mm | 54       | € 2.702,00 |
| RWD9632P10  | 960x320x75 mm  | 54       | € 1.249,00 | RWD25632P10 | 2560x320x75 mm | 54       | € 3.003,00 |
| RWD12832P10 | 1280x320x75 mm | 54       | € 1.664,00 | RWD28832P10 | 2880x320x75 mm | 54       | € 3.485,00 |
| RWD16032P10 | 1600x320x75 mm | 54       | € 2.069,00 | RWD32032P10 | 3200x320x75 mm | 54       | € 3.815,00 |
| RWD3248P10  | 320x480x75 mm  | 54       | € 768,00   | RWD19248P10 | 1920x480x75 mm | 54       | € 3.485,00 |
| RWD6448P10  | 640x480x75 mm  | 54       | € 1.249,00 | RWD22448P10 | 2240x480x75 mm | 54       | € 3.785,00 |
| RWD9648P10  | 960x480x75 mm  | 54       | € 1.903,00 | RWD25648P10 | 2560x480x75 mm | 54       | € 4.490,00 |
| RWD12848P10 | 1280x480x75 mm | 54       | € 2.412,00 | RWD28848P10 | 2880x480x75 mm | 54       | € 4.977,00 |
| RWD16048P10 | 1600x480x75 mm | 54       | € 2.787,00 | RWD32048P10 | 3200x480x75 mm | 54       | € 5.558,00 |
| RWD3264P10  | 320x640x75 mm  | 54       | € 937,00   | RWD19264P10 | 1920x640x75 mm | 54       | € 4.490,00 |
| RWD6464P10  | 640x640x75 mm  | 54       | € 1.664,00 | RWD22464P10 | 2240x640x75 mm | 54       | € 5.198,00 |
| RWD9664P10  | 960x640x75 mm  | 54       | € 2.412,00 | RWD25664P10 | 2560x640x75 mm | 54       | € 5.811,00 |
| RWD12864P10 | 1280x640x75 mm | 54       | € 3.003,00 | RWD28864P10 | 2880x640x75 mm | 54       | € 6.482,00 |
| RWD16064P10 | 1600x640x75 mm | 54       | € 3.815,00 | RWD32064P10 | 3200x640x75 mm | 54       | € 7.167,00 |
| RWD3280P10  | 320x800x75 mm  | 54       | € 1.105,00 | RWD19280P10 | 1920x800x75 mm | 54       | € 5.558,00 |
| RWD6480P10  | 640x800x75 mm  | 54       | € 2.069,00 | RWD22480P10 | 2240x800x75 mm | 54       | € 6.059,00 |
| RWD9680P10  | 960x800x75 mm  | 54       | € 2.787,00 | RWD25680P10 | 2560x800x75 mm | 54       | € 7.167,00 |
| RWD12880P10 | 1280x800x75 mm | 54       | € 3.815,00 | RWD28880P10 | 2880x800x75 mm | 54       | € 8.024,00 |
| RWD16080P10 | 1600x800x75 mm | 54       | € 4.739,00 | RWD32080P10 | 3200x800x75 mm | 54       | € 8.272,00 |

### Accessories

| Accessories Code | Description                        | Included | €/Pcs.  |
|------------------|------------------------------------|----------|---------|
| RTP01            | TEMPERATURE SENSOR WITH 3 m CABLE. | NO       | € 78,00 |
| RLM01            | BRIGHTNESS SENSOR                  | NO       | € 63,00 |

| Scheda CPU | Descrizione                                                                                                                                                                              | Included        | €/Pcs.           |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------|
| Alfa-Digit | Display of alphanumeric writings in 7 colors, 4 types of fonts. Management via Tech communication protocol, WD Folder software, ASCII protocol (RS485), Modus (RS485), AT Visan protocol | LAN o RS 485    | NO<br>€ 509,60   |
|            |                                                                                                                                                                                          | 8CN Card        | NO<br>€ 455,52   |
|            |                                                                                                                                                                                          | Box 96 CN RS485 | NO<br>€ 1.539,20 |
|            |                                                                                                                                                                                          | 4-20 Card       | NO<br>€ 341,12   |
| Scheda WD  | Display of writings, images or animations in FULLCOLOR mode in the most common formats: JPG, BMP MP \$, AVI, GIF, etc.                                                                   | LAN or RS 485   | NO<br>€ 457,60   |

### FUNCTIONS

Clock, date, countdown, programming schedules for date and time, software with LAN Ethernet connection, multicolor writings, writings with colored background, multidimensional writings, flowing writings, fixed or pages, 20 graphic effects attributable to the writings, software brightness adjustment, possibility to display small multicolored logos.



## LED DISPLAY

### ALFANUMERIC DISPLAY P. 10 mm. DOUBLE-FACE (MATRIX 320x160 MM - MULTICOLOR MULTIDIMENSION)

| Code         | Size            | IP Class | €/Pcs.     | Code         | Size            | IP Class | €/Pcs.      |
|--------------|-----------------|----------|------------|--------------|-----------------|----------|-------------|
| RWD3216P10B  | 320x160x105 mm  | 54       | € 754,25   | RWD19216P10B | 1920x160x105 mm | 54       | € 2.185,75  |
| RWD6416P10B  | 640x160x105 mm  | 54       | € 1.050,00 | RWD22416P10B | 2240x160x105 mm | 54       | € 2.528,75  |
| RWD9616P10B  | 960x160x105 mm  | 54       | € 1.344,00 | RWD25616P10B | 2560x160x105 mm | 54       | € 2.912,00  |
| RWD12816P10B | 1280x160x105 mm | 54       | € 1.639,75 | RWD28816P10B | 2880x160x105 mm | 54       | € 3.330,25  |
| RWD16016P10B | 1600x160x105 mm | 54       | € 1.933,75 | RWD32016P10B | 3200x160x105 mm | 54       | € 3.620,75  |
| RWD3232P10B  | 320x320x105 mm  | 54       | € 1.050,00 | RWD19232P10B | 1920x320x105 mm | 54       | € 4.221,00  |
| RWD6432P10B  | 640x320x105 mm  | 54       | € 1.639,75 | RWD22432P10B | 2240x320x105 mm | 54       | € 4.728,50  |
| RWD9632P10B  | 960x320x105 mm  | 54       | € 2.185,75 | RWD25632P10B | 2560x320x105 mm | 54       | € 5.255,25  |
| RWD12832P10B | 1280x320x105 mm | 54       | € 2.912,00 | RWD28832P10B | 2880x320x105 mm | 54       | € 6.098,75  |
| RWD16032P10B | 1600x320x105 mm | 54       | € 3.620,75 | RWD32032P10B | 3200x320x105 mm | 54       | € 6.676,25  |
| RWD3248P10B  | 320x480x105 mm  | 54       | € 1.344,00 | RWD19248P10B | 1920x480x105 mm | 54       | € 6.098,75  |
| RWD6448P10B  | 640x480x105 mm  | 54       | € 2.185,75 | RWD22448P10B | 2240x480x105 mm | 54       | € 6.623,75  |
| RWD9648P10B  | 960x480x105 mm  | 54       | € 3.330,25 | RWD25648P10B | 2560x480x105 mm | 54       | € 7.587,50  |
| RWD12848P10B | 1280x480x105 mm | 54       | € 4.221,00 | RWD28848P10B | 2880x480x105 mm | 54       | € 8.709,75  |
| RWD16048P10B | 1600x480x105 mm | 54       | € 4.877,25 | RWD32048P10B | 3200x480x105 mm | 54       | € 9.276,50  |
| RWD3264P10B  | 320x640x105 mm  | 54       | € 1.639,75 | RWD19264P10B | 1920x640x105 mm | 54       | € 7.857,50  |
| RWD6464P10B  | 640x640x105 mm  | 54       | € 2.912,00 | RWD22464P10B | 2240x640x105 mm | 54       | € 9.096,50  |
| RWD9664P10B  | 960x640x105 mm  | 54       | € 4.221,00 | RWD25664P10B | 2560x640x105 mm | 54       | € 10.169,25 |
| RWD12864P10B | 1280x640x105 mm | 54       | € 5.255,25 | RWD28864P10B | 2880x640x105 mm | 54       | € 11.343,50 |
| RWD16064P10B | 1600x640x105 mm | 54       | € 6.676,25 | RWD32064P10B | 3200x640x105 mm | 54       | € 12.542,25 |
| RWD3280P10B  | 320x800x105 mm  | 54       | € 1.933,75 | RWD19280P10B | 1920x800x105 mm | 54       | € 9.726,50  |
| RWD6480P10B  | 640x800x105 mm  | 54       | € 3.620,75 | RWD22480P10B | 2240x800x105 mm | 54       | € 10.603,25 |
| RWD9680P10B  | 960x800x105 mm  | 54       | € 4.877,25 | RWD25680P10B | 2560x800x105 mm | 54       | € 12.542,25 |
| RWD12880P10B | 1280x800x105 mm | 54       | € 6.676,25 | RWD28880P10B | 2880x800x105 mm | 54       | € 14.042,00 |
| RWD16080P10B | 1600x800x105 mm | 54       | € 8.293,25 | RWD32080P10B | 3200x800x105mm  | 54       | € 14.476,00 |

### Accessories

| Accessories Code | Description                        | Included | €/Pcs.  |
|------------------|------------------------------------|----------|---------|
| RTP01            | TEMPERATURE SENSOR WITH 3 m CABLE. | NO       | € 78,00 |
| RLM01            | BRIGHTNESS SENSOR                  | NO       | € 63,00 |

| Scheda CPU | Descrizione                                                                                                                                                                              | Included        | €/Pcs.           |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------|
| Alfa-Digit | Display of alphanumeric writings in 7 colors, 4 types of fonts. Management via Tech communication protocol, WD Folder software, ASCII protocol (RS485), Modus (RS485), AT Visan protocol | LAN o RS 485    | NO<br>€ 509,60   |
|            |                                                                                                                                                                                          | 8CN Card        | NO<br>€ 455,52   |
|            |                                                                                                                                                                                          | Box 96 CN RS485 | NO<br>€ 1.539,20 |
|            |                                                                                                                                                                                          | 4-20 Card       | NO<br>€ 341,12   |
| Scheda WD  | Display of writings, images or animations in FULLCOLOR mode in the most common formats: JPG, BMP MP \$, AVI, GIF, etc.                                                                   | LAN or RS 485   | NO<br>€ 457,60   |

### FUNCTIONS

Clock, date, countdown, programming schedules for date and time, software with LAN Ethernet connection, multicolor writings, writings with colored background, multidimensional writings, flowing writings, fixed or pages, 20 graphic effects attributable to the writings, software brightness adjustment, possibility to display small multicolored logos.



## LED DISPLAY

### ALFANUMERIC DISPLAY P. 16 mm. SINGLE-FACE (MATRIX 256x256 MM - MULTICOLOR MULTIDIMENSION)

| Code       | Size            | IP Class | €/Pcs.     | Code        | Size            | IP Class | €/Pcs.     |
|------------|-----------------|----------|------------|-------------|-----------------|----------|------------|
| RWD1616P16 | 256x256x75 mm   | 54       | € 390,00   | RWD9616P16  | 1536x256x75 mm  | 54       | € 1.227,00 |
| RWD3216P16 | 512x256x75 mm   | 54       | € 561,00   | RWD11216P16 | 1792x256x75 mm  | 54       | € 1.409,00 |
| RWD4816P16 | 768x256x75 mm   | 54       | € 733,00   | RWD12816P16 | 2048x256x75 mm  | 54       | € 1.560,00 |
| RWD6416P16 | 1024x256x75 mm  | 54       | € 904,00   | RWD14416P16 | 2304x256x75 mm  | 54       | € 1.716,00 |
| RWD8016P16 | 1280x256x75 mm  | 54       | € 1.076,00 | RWD16016P16 | 2560x256x75 mm  | 54       | € 1.870,00 |
| RWD1632P16 | 256x512x75 mm   | 54       | € 561,00   | RWD9632P16  | 1536x512x75 mm  | 54       | € 2.241,00 |
| RWD3232P16 | 512x512x75 mm   | 54       | € 904,00   | RWD11232P16 | 1792x512x75 mm  | 54       | € 2.558,00 |
| RWD4832P16 | 768x512x75 mm   | 54       | € 1.227,00 | RWD12832P16 | 2048x512x75 mm  | 54       | € 2.899,00 |
| RWD6432P16 | 1024x512x75 mm  | 54       | € 1.560,00 | RWD14432P16 | 2304x512x75 mm  | 54       | € 3.224,00 |
| RWD8032P16 | 1280x512x75 mm  | 54       | € 1.870,00 | RWD16032P16 | 2560x512x75 mm  | 54       | € 3.536,00 |
| RWD1648P16 | 256x768x75 mm   | 54       | € 712,00   | RWD9648P16  | 1536x768x75 mm  | 54       | € 3.224,00 |
| RWD3248P16 | 512x768x75 mm   | 54       | € 1.227,00 | RWD11248P16 | 1792x768x75 mm  | 54       | € 3.783,00 |
| RWD4848P16 | 768x768x75 mm   | 54       | € 1.716,00 | RWD12848P16 | 2048x768x75 mm  | 54       | € 4.191,00 |
| RWD6448P16 | 1024x768x75 mm  | 54       | € 2.241,00 | RWD14448P16 | 2304x768x75 mm  | 54       | € 4.763,00 |
| RWD8048P16 | 1280x768x75 mm  | 54       | € 2.787,00 | RWD16048P16 | 2560x768x75 mm  | 54       | € 5.198,00 |
| RWD1664P16 | 256x1024x75 mm  | 54       | € 898,00   | RWD9664P16  | 1536x1024x75 mm | 54       | € 4.191,00 |
| RWD3264P16 | 512x1024x75 mm  | 54       | € 1.560,00 | RWD11264P16 | 1792x1024x75 mm | 54       | € 4.852,00 |
| RWD4864P16 | 768x1024x75 mm  | 54       | € 2.241,00 | RWD12864P16 | 2048x1024x75 mm | 54       | € 5.664,00 |
| RWD6464P16 | 1024x1024x75 mm | 54       | € 2.899,00 | RWD14464P16 | 2304x1024x75 mm | 54       | € 6.100,00 |
| RWD8064P16 | 1280x1024x75 mm | 54       | € 3.536,00 | RWD16064P16 | 2560x1024x75 mm | 54       | € 6.726,00 |
| RWD1680P16 | 256x1280x75 mm  | 54       | € 1.076,00 | RWD9680P16  | 1536x1280x75 mm | 54       | € 5.198,00 |
| RWD3280P16 | 512x1280x75 mm  | 54       | € 1.870,00 | RWD11280P16 | 1792x1280x75 mm | 54       | € 6.059,00 |
| RWD4880P16 | 768x1280x75 mm  | 54       | € 2.787,00 | RWD12880P16 | 2048x1280x75 mm | 54       | € 6.726,00 |
| RWD6480P16 | 1024x1280x75 mm | 54       | € 3.536,00 | RWD14480P16 | 2304x1280x75 mm | 54       | € 7.800,00 |
| RWD8080P16 | 1280x1280x75 mm | 54       | € 4.316,00 | RWD16080P16 | 2560x1280x75 mm | 54       | € 8.653,00 |

### Accessories

| Accessories Code | Description                        | Included | €/Pcs.  |
|------------------|------------------------------------|----------|---------|
| RTP01            | TEMPERATURE SENSOR WITH 3 m CABLE. | NO       | € 78,00 |
| RLM01            | BRIGHTNESS SENSOR                  | NO       | € 63,00 |

| Scheda CPU | Descrizione                                                                                                                                                                              | Included        | €/Pcs.        |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------|
| Alfa-Digit | Display of alphanumeric writings in 7 colors, 4 types of fonts. Management via Tech communication protocol, WD Folder software, ASCII protocol (RS485), Modus (RS485), AT Visan protocol | LAN o RS 485    | NO € 509,60   |
|            |                                                                                                                                                                                          | 8CN Card        | NO € 455,52   |
|            |                                                                                                                                                                                          | Box 96 CN RS485 | NO € 1.539,20 |
|            |                                                                                                                                                                                          | 4-20 Card       | NO € 341,12   |
| Scheda WD  | Display of writings, images or animations in FULLCOLOR mode in the most common formats: JPG, BMP MP \$, AVI, GIF, etc.                                                                   | LAN or RS 485   | NO € 457,60   |

### FUNCTIONS

Clock, date, countdown, programming schedules for date and time, software with LAN Ethernet connection, multicolor writings, writings with colored background, multidimensional writings, flowing writings, fixed or pages, 20 graphic effects attributable to the writings, software brightness adjustment, possibility to display small multicolored logos.



## LED DISPLAY

### ALFANUMERIC DISPLAY P. 16 mm. DOUBLE-FACE

(MATRIX 256x256 MM - MULTICOLOR MULTIDIMENSION)

| Code         | Size             | IP Class | €/Pcs.     | Code         | Size            | IP Class | €/Pcs.      |
|--------------|------------------|----------|------------|--------------|-----------------|----------|-------------|
| RWD161 6P16B | 256x256x105 mm   | 54       | € 682,50   | RWD9616P16B  | 1536x256x105 mm | 54       | € 2.147,25  |
| RWD3216P16B  | 512x256x105 mm   | 54       | € 981,75   | RWD11216P16B | 1792x256x105 mm | 54       | € 2.465,75  |
| RWD4816P16B  | 768x256x105 mm   | 54       | € 1.282,75 | RWD12816P16B | 2048x256x105 mm | 54       | € 2.730,00  |
| RWD6416P16B  | 1024x256x105 mm  | 54       | € 1.582,00 | RWD14416P16B | 2304x256x105 mm | 54       | € 3.003,00  |
| RWD8016P16B  | 1280x256x105 mm  | 54       | € 1.883,00 | RWD16016P16B | 2560x256x105 mm | 54       | € 3.272,50  |
| RWD1632P16B  | 256x530x105 mm   | 54       | € 981,75   | RWD9632P16B  | 1536x530x105 mm | 54       | € 3.921,75  |
| RWD3232P16B  | 512x530x105 mm   | 54       | € 1.582,00 | RWD11232P16B | 1792x530x105 mm | 54       | € 4.476,50  |
| RWD4832P16B  | 768x530x105 mm   | 54       | € 2.147,25 | RWD12832P16B | 2048x530x105 mm | 54       | € 5.073,25  |
| RWD6432P16B  | 1024x530x105 mm  | 54       | € 2.730,00 | RWD14432P16B | 2304x530x105 mm | 54       | € 5.642,00  |
| RWD8032P16B  | 1280x530x105 mm  | 54       | € 3.272,50 | RWD16032P16B | 2560x530x105 mm | 54       | € 6.188,00  |
| RWD1648P16B  | 256x768x105 mm   | 54       | € 1.246,00 | RWD9648P16B  | 1536x768x105 mm | 54       | € 5.642,00  |
| RWD3248P16B  | 512x768x105 mm   | 54       | € 2.147,25 | RWD11248P16B | 1792x768x105 mm | 54       | € 6.620,25  |
| RWD4848P16B  | 768x768x105 mm   | 54       | € 3.003,00 | RWD12848P16B | 2048x768x105 mm | 54       | € 7.334,25  |
| RWD6448P16B  | 1024x768x105 mm  | 54       | € 3.921,75 | RWD14448P16B | 2304x768x105 mm | 54       | € 8.335,25  |
| RWD8048P16B  | 1280x768x105 mm  | 54       | € 4.877,25 | RWD16048P16B | 2560x768x105 mm | 54       | € 9.096,50  |
| RWD1664P16B  | 256x1024x105 mm  | 54       | € 1.571,50 | RWD9664P16B  | 1536x1024x75 mm | 54       | € 7.334,25  |
| RWD3264P16B  | 512x1024x105 mm  | 54       | € 2.730,00 | RWD11264P16B | 1792x1024x75 mm | 54       | € 8.491,00  |
| RWD4864P16B  | 768x1024x105 mm  | 54       | € 3.921,75 | RWD12864P16B | 2048x1024x75 mm | 54       | € 9.737,00  |
| RWD6464P16B  | 1024x1024x105 mm | 54       | € 5.073,25 | RWD14464P16B | 2304x1024x75 mm | 54       | € 10.675,00 |
| RWD8064P16B  | 1280x1024x105 mm | 54       | € 6.188,00 | RWD16064P16B | 2560x1024x75 mm | 54       | € 11.770,50 |
| RWD1680P16B  | 256x1280x75 mm   | 54       | € 1.883,00 | RWD9680P16B  | 1536x1280x75 mm | 54       | € 9.096,50  |
| RWD3280P16B  | 512x1280x75 mm   | 54       | € 3.272,50 | RWD11280P16B | 1792x1280x75 mm | 54       | € 10.603,25 |
| RWD4880P16B  | 768x1280x75 mm   | 54       | € 4.877,25 | RWD12880P16B | 2048x1280x75 mm | 54       | € 11.770,50 |
| RWD6480P16B  | 1024x1280x75 mm  | 54       | € 6.188,00 | RWD14480P16B | 2304x1280x75 mm | 54       | € 13.650,00 |
| RWD8080P16B  | 1280x1280x75 mm  | 54       | € 7.553,00 | RWD16080P16B | 2560x1280x75 mm | 54       | € 15.142,75 |

### Accessories

| Accessories Code | Description                        | Included | €/Pcs.  |
|------------------|------------------------------------|----------|---------|
| RTP01            | TEMPERATURE SENSOR WITH 3 m CABLE. | NO       | € 78,00 |
| RLM01            | BRIGHTNESS SENSOR                  | NO       | € 63,00 |

| Scheda CPU | Descrizione                                                                                                                                                                              | Included        | €/Pcs.           |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------|
| Alfa-Digit | Display of alphanumeric writings in 7 colors, 4 types of fonts. Management via Tech communication protocol, WD Folder software, ASCII protocol (RS485), Modus (RS485), AT Visan protocol | LAN o RS 485    | NO<br>€ 509,60   |
|            |                                                                                                                                                                                          | 8CN Card        | NO<br>€ 455,52   |
|            |                                                                                                                                                                                          | Box 96 CN RS485 | NO<br>€ 1.539,20 |
|            |                                                                                                                                                                                          | 4-20 Card       | NO<br>€ 341,12   |
| Scheda WD  | Display of writings, images or animations in FULLCOLOR mode in the most common formats: JPG, BMP MP \$, AVI, GIF, etc.                                                                   | LAN or RS 485   | NO<br>€ 457,60   |

### FUNCTIONS

Clock, date, countdown, programming schedules for date and time, software with LAN Ethernet connection, multicolor writings, writings with colored background, multidimensional writings, flowing writings, fixed or pages, 20 graphic effects attributable to the writings, software brightness adjustment, possibility to display small multicolored logos.



## LED DISPLAYS

### DISPLAY T-CITY MODULAR OUTDOOR HC 70 mm. (MULTICOLOR - MAX DISTANCE 35 m.)

| Code       | Description                                                                | IP Class | €/Pcs.     |
|------------|----------------------------------------------------------------------------|----------|------------|
| RTHD216HF7 | DISPLAY 2 LINE MULTICOLOR - 1100x450 mm. - NUM. TYPEFACE 2 LINE FOR 16 CRT | 65       | € 3.034,00 |
| RTHD416HF7 | DISPLAY 4 LINE MULTICOLOR - 1100x700 mm. - NUM. TYPEFACE 4 LINE FOR 16 CRT | 65       | € 5.610,00 |
| RTHD616HF7 | DISPLAY 6 LINE MULTICOLOR - 1100x860 mm. - NUM. TYPEFACE 6 LINE FOR 16 CRT | 65       | € 6.395,00 |

### DISPLAY T-CITY MODULAR OUTDOOR HC 110 mm. (MULTICOLOR - MAX DISTANCE 60 m.)

| Code        | Description                                                                | IP Class | €/Pcs.     |
|-------------|----------------------------------------------------------------------------|----------|------------|
| RTHD216HF11 | DISPLAY 2 LINE MULTICOLOR - 1850x650 mm. - NUM. TYPEFACE 2 LINE FOR 16 CRT | 65       | € 4.320,00 |
| RTHD416HF11 | DISPLAY 4 LINE MULTICOLOR - 1850x855 mm. - NUM. TYPEFACE 4 LINE FOR 16 CRT | 65       | € 7.288,00 |
| RTHD421HF11 | DISPLAY 4 LINE MULTICOLOR - 2180x855 mm. - NUM. TYPEFACE 4 LINE FOR 16 CRT | 65       | € 7.739,00 |
| RTHD621HF11 | DISPLAY 6 LINE MULTICOLOR - 2180x990 mm. - NUM. TYPEFACE 6 LINE FOR 16 CRT | 65       | € 9.309,00 |

| Accessories Code | Description                                                | Included | €/Pcs.     |
|------------------|------------------------------------------------------------|----------|------------|
| ROPTIONALA1      | WHITE LED BACKLIT SERIGRAPHY WITH EMBLEM AND CUSTOMER NAME | NO       | € 458,00   |
| ROPTIONALA2      | SUPPORT POLE H 2500 mm.                                    | NO       | € 1.380,00 |
| ROPTIONALB1      | 3G KIT FOR PC AND DISPLAY CONNECTIONS                      | NO       | € 365,00   |
| ROPTIONALB2      | NEWS KIT ENABLED ON THE LAST RANGE DISPLAY                 | YES*     | € 260,00   |
| ROPTIONALC1      | WEATHER FORECAST RECEPTION MODULE                          | YES*     | € 293,00   |
| ROPTIONALS5      | WEATHER ALERT KIT                                          | NO       | € 988,00   |

\*Except for the 216HF7 - 416HF7 - 216HF10 - 416HF10 models.

## FUNCTIONS

Viewable writings. Possibility to edit fixed writings, on sliding or paginated lines.

7 written colors available, differentiable by single line or word.

Lowercase, uppercase, bold, numeric, weather graphics fonts.

The display has integrated a GPS satellite to detect the position on a GOOGLE map viewable by the customer.

The clock integrated in the panel has a GPS receiver, this allows you to provide precise time and date.

The temperature sensor is located on the lower side of the display and detects the room temperature.

Written programming via a dedicated t-city portal that can be managed from any PC, TABLET or smartphone connected to the internet.



## LED DISPLAYS

### GRAFIC DISPLAY FOR OUTDOOR USE P. 3,91 mm. (FULL COLOR)

| Code         | Description                                                    | IP Class | €/Pcs.     |
|--------------|----------------------------------------------------------------|----------|------------|
| RGD128128P03 | GRAFIC DISPLAY 128x128 PXL - 500x500x85 mm. - MAX LUM. 5000 CD | 65       | € 1.155,00 |



### GRAFIC DISPLAY FOR OUTDOOR USE P. 4,81 mm. (FULL COLOR)

| Code         | Description                                                    | IP Class | €/Pcs.     |
|--------------|----------------------------------------------------------------|----------|------------|
| RGD104208P04 | GRAFIC DISPLAY 104x104 PXL - 500x500x85 mm. - MAX LUM. 6000 CD | 65       | € 2.850,00 |



## LED DISPLAYS

| Accessories Code | Description                                              | Included | €/Pcs.   |
|------------------|----------------------------------------------------------|----------|----------|
| RCPUTECHA30      | ASYNCHRONOUS CPU CARD 1024x512/512x1024                  | NO       | € 610,00 |
| RWIFIND          | WI-FI MODULE FOR CPU                                     | NO       | € 90,00  |
| RCPUTS802        | CPU SYNCHRONOUS CARD (RIPRODUCE UNA PORZIONE DI SCHERMO) | NO       | € 615,00 |
| RCPU8CNGRAPHIC   | CPU CARD MESSAGE MANAGER                                 | NO       | € 995,00 |
| RTOPFIX          | BAR FOR FIXING THE CEILING DISPLAY THROUGH THE HOLES     | NO       | € 178,00 |
| RLUMS            | BRIGHTNESS SENSOR FOR AUTOMATIC ADJUSTMENT               | NO       | € 101,00 |
| RROUTGSM         | 4G ROUTER MODULE (SIM NOT INCLUDED)                      | NO       | € 489,00 |
| RCOVERB          | LATERAL INFILL CLOSURE (M.L.)                            | NO       | € 140,00 |

### FUNCTIONS

Receiving cards (1 for each module).  
 Internal power supply.  
 Display management software.  
 Quick hooks between modules.



## LED DISPLAYS

DISPLAY FOR MONITORING PHOTOVOLTAIC INDOOR+ACCESSORIES **ON DEMAND**



## LED DISPLAYS

DISPLAY FOR MONITORING PHOTOVOLTAIC INDOOR/OUTDOOR+ACCESSORIES **ON DEMAND**



DISPLAY FOR MONITORING PHOTOVOLTAIC INDOOR/OUTDOOR+ACCESSORIES **ON DEMAND**



## LED DISPLAYS

### NEXTY QUEUE DISPLAY

| Code        | Description                                                              | €/Pcs.   |
|-------------|--------------------------------------------------------------------------|----------|
| RGC13RGB    | 7 COLOR RGB DISPLAY - CABINET 275 x 240 x 55 mm. - NUMBER HEIGHT 130 mm. | € 287,67 |
| RGC1TLCLINE | REMOTE CONTROL WITH 2 DIGIT DISPLAY - RANGE 30 m. (DISPLAY ITEM NEEDED)  | € 138,26 |

| Accessories Code | Description                                          | €/Pcs.   |
|------------------|------------------------------------------------------|----------|
| RGCDTK/S         | 2 DIGIT ROLL TEAR DISPENSER WITH WALL/PLANT FIXATION | € 35,68  |
| RGCKTS/2         | PACK OF 6000 2 DIGIT TICKETS IN ROLLS BY 2000 PCS    | € 36,80  |
| RGCPSD/S         | SUPPORT WITH ANTI-TIRE PLINTH                        | € 101,47 |

### FUNCTIONS

The new generation NEXTY display offers a readability distance of over 50 m. thanks to the 13 cm. height of the character and the 7 different colors that can be set directly by the user with the remote control.

The display is also equipped with an acoustic emitter that warns users of the call, the intensity can be adjusted.

The remote control allows you to see the number you are calling directly on your screen, perfect for offices, counters or environments where the NEXTY display is not visible to the caller.



## PHARMACY CROSSES

### LED CROSS MODULAR 150

1568 x 1568 x 135 mm



| Code                       | Description                                       | LED Number | €/Pcs.      |
|----------------------------|---------------------------------------------------|------------|-------------|
| RMOD150B                   | DOUBLE-SIDED LED CROSS                            | 10.240     | € 10.035,00 |
| RMOD150M                   | SINGLE-SIDED LED CROSS                            | 5.120      | € 8.529,75  |
| RCROSSCAL                  | AUTOMATIC DAY/NIGHT MESSAGE MANAGEMENT SOFTWARE   |            | € 278,75    |
| RKITWIRE                   | WIRELESS TX + RX KIT WIRELESS PC/CROSS CONNECTION |            | € 468,30    |
| Connection to PC required. |                                                   |            |             |



### LED CROSS UNICA 120 P10

1180 x 1180 x 135 mm



| Code                       | Description                                       | LED Number | €/Pcs.     |
|----------------------------|---------------------------------------------------|------------|------------|
| RUNICA120B                 | DOUBLE-SIDED LED CROSS                            | 10.240     | € 5.240,50 |
| RUNICA120M                 | DOUBLE-SIDED LED CROSS                            |            | € 4.454,42 |
| RCROSSCAL                  | AUTOMATIC DAY/NIGHT MESSAGE MANAGEMENT SOFTWARE   |            | € 278,75   |
| RKITWIRE                   | WIRELESS TX + RX KIT WIRELESS PC/CROSS CONNECTION |            | € 468,30   |
| Connection to PC required. |                                                   |            |            |




### LED CROSS BOLD 120

1144 x 1144 x 135 mm



| Code                       | Description                                       | LED Number | €/Pcs.     |
|----------------------------|---------------------------------------------------|------------|------------|
| RBOLD120B                  | DOUBLE-SIDED LED CROSS                            | 2.560      | € 8.028,00 |
| RBOLD120M                  | SINGLE-SIDED LED CROSS                            | 1.280      | € 6.823,80 |
| RCROSSCAL                  | AUTOMATIC DAY/NIGHT MESSAGE MANAGEMENT SOFTWARE   |            | € 278,75   |
| RKITWIRE                   | WIRELESS TX + RX KIT WIRELESS PC/CROSS CONNECTION |            | € 468,30   |
| Connection to PC required. |                                                   |            |            |



### LED CROSS MODULAR 110

1200 x 1200 x 130 mm



| Code                       | Description                                       | LED Number | €/Pcs.     |
|----------------------------|---------------------------------------------------|------------|------------|
| RMOD120B                   | DOUBLE-SIDED LED CROSS                            | 5.120      | € 5.530,40 |
| RMOD120M                   | SINGLE-SIDED LED CROSS                            | 2.560      | € 4.700,84 |
| RCROSSCAL                  | AUTOMATIC DAY/NIGHT MESSAGE MANAGEMENT SOFTWARE   |            | € 278,75   |
| RKITWIRE                   | WIRELESS TX + RX KIT WIRELESS PC/CROSS CONNECTION |            | € 468,30   |
| Connection to PC required. |                                                   |            |            |



## PHARMACY CROSSES

### LED CROSS MODULAR 100 MULTICOLOUR



1000 x 1000 x 130 mm

| Code                       | Description                                       | LED Number | €/Pcs.     |
|----------------------------|---------------------------------------------------|------------|------------|
| RMOD100MCB                 | DOUBLE-SIDED LED CROSS                            | 30.720     | € 5.352,00 |
| RMOD100MCM                 | SINGLE-SIDED LED CROSS                            | 15.360     | € 4.549,20 |
| RCROSSCAL                  | AUTOMATIC DAY/NIGHT MESSAGE MANAGEMENT SOFTWARE   |            | € 278,75   |
| RKITWIRE                   | WIRELESS TX + RX KIT WIRELESS PC/CROSS CONNECTION |            | € 468,30   |
| Connection to PC required. |                                                   |            |            |



### LED CROSS BOLD 90



880 x 880 x 135 mm

| Code                       | Description                                       | LED Number | €/Pcs.     |
|----------------------------|---------------------------------------------------|------------|------------|
| RGRAPHIC90B                | DOUBLE-SIDED LED CROSS                            | 2.400      | € 5.463,50 |
| RGRAPHIC90M                | SINGLE-SIDED LED CROSS                            | 1.200      | € 4.643,97 |
| RCROSSCAL                  | AUTOMATIC DAY/NIGHT MESSAGE MANAGEMENT SOFTWARE   |            | € 278,75   |
| RKITWIRE                   | WIRELESS TX + RX KIT WIRELESS PC/CROSS CONNECTION |            | € 468,30   |
| Connection to PC required. |                                                   |            |            |



## PHARMACY CROSSES

### LED CROSS UNICA 90 P8

880 x 880 x 135



| Code          | Description                                       | LED Number | €/Pcs.     |
|---------------|---------------------------------------------------|------------|------------|
| RUNICA90FULLB | DOUBLE-SIDED LED CROSS                            | 10.240     | € 4.426,55 |
| RUNICA90FULLM | SINGLE-SIDED LED CROSS                            | 5.120      | € 3.762,57 |
| RCROSSCAL     | AUTOMATIC DAY/NIGHT MESSAGE MANAGEMENT SOFTWARE   |            | € 278,75   |
| RKITWIRE      | WIRELESS TX + RX KIT WIRELESS PC/CROSS CONNECTION |            | € 468,30   |

Connection to PC required.



### LED CROSS UNICA 90 P16

880 x 880 x 135



| Code         | Description                                       | LED Number | €/Pcs.     |
|--------------|---------------------------------------------------|------------|------------|
| RUNICA90165B | DOUBLE-SIDED LED CROSS                            | 2.560      | € 4.292,75 |
| RUNICA9016M  | SINGLE-SIDED LED CROSS                            | 1.280      | € 3.648,84 |
| RCROSSCAL    | AUTOMATIC DAY/NIGHT MESSAGE MANAGEMENT SOFTWARE   |            | € 278,75   |
| RKITWIRE     | WIRELESS TX + RX KIT WIRELESS PC/CROSS CONNECTION |            | € 468,30   |

Connection to PC required.



### LED CROSS SLIM 90 GRAFICA

900 x 900 x 30



| Code      | Description                                       | LED Number | €/Pcs.     |
|-----------|---------------------------------------------------|------------|------------|
| RLIM90GRB | DOUBLE-SIDED LED CROSS                            | 1.536      | € 4.192,40 |
| RLIM90GRM | SINGLE-SIDED LED CROSS                            | 768        | € 3.563,54 |
| RCROSSCAL | AUTOMATIC DAY/NIGHT MESSAGE MANAGEMENT SOFTWARE   |            | € 278,75   |
| RKITWIRE  | WIRELESS TX + RX KIT WIRELESS PC/CROSS CONNECTION |            | € 468,30   |

Connection to PC required.



### LED CROSS MODULAR 90

880 x 880 x 135 mm



| Code      | Description                                       | LED Number | €/Pcs.     |
|-----------|---------------------------------------------------|------------|------------|
| RMOD90B   | DOUBLE-SIDED LED CROSS                            | 2.560      | € 4.683,00 |
| RMOD90M   | SINGLE-SIDED LED CROSS                            | 1.280      | € 3.980,55 |
| RCROSSCAL | AUTOMATIC DAY/NIGHT MESSAGE MANAGEMENT SOFTWARE   |            | € 278,75   |
| RKITWIRE  | WIRELESS TX + RX KIT WIRELESS PC/CROSS CONNECTION |            | € 468,30   |

Connection to PC required.



### LED CROSS SLIM 90 PHARM - RESINED LED

875 X 875 X 30



| Code         | Description                                  | LED Number | €/Pcs.     |
|--------------|----------------------------------------------|------------|------------|
| RLIMFARM900B | DOUBLE-SIDED LED CROSS WITH PHARMACY WRITING | 1.408      | € 3.345,00 |
| RLIMFARM900M | SINGLE-SIDED LED CROSS WITH PHARMACY WRITING | 704        | € 2.843,25 |
| RBSSLIIMM    | SPACED BOX WITH 1.5 M CABLE                  |            | € 267,00   |

It only requires connection to the 220 V mains. Effects by remote control.



### LED CROSS SLIM 90 LINEAR - RESINED LED

875 X 875 X 30



| Code      | Description                 | LED Number | €/Pcs.     |
|-----------|-----------------------------|------------|------------|
| RLIM900B  | DOUBLE-SIDED LED CROSS      | 1.648      | € 3.400,75 |
| RLIM900M  | SINGLE-SIDED LED CROSS      | 824        | € 2.890,08 |
| RBSSLIIMM | SPACED BOX WITH 1.5 M CABLE |            | € 267,00   |

It only requires connection to the 220 V mains. Effects by remote control.



### LED CROSS SLIM CLOCK 90 - RESINED LED

875 X 875 X 30



| Code         | Description                          | LED Number | €/Pcs.     |
|--------------|--------------------------------------|------------|------------|
| RLIMCLOCK90B | DOUBLE-SIDED SLIM LED CROSS WITH ODT | 1.582      | € 3.791,00 |
| RLIMCLOCK90M | SINGLE-SIDED SLIM LED CROSS WITH ODT | 791        | € 3.222,35 |
| RBSSLIIMM    | SPACED BOX WITH 1.5 M CABLE          |            | € 267,00   |

It only requires connection to the 220 V mains. Effects by remote control.




## PHARMACY CROSSES

### LED CROSS SIRIO 90

910 x 910 x 100 mm



| Code      | Description            | LED Number | €/Pcs.     |
|-----------|------------------------|------------|------------|
| RSIRIO90B | DOUBLE-SIDED LED CROSS | 592        | € 2.319,20 |
| RSIRIO90M | SINGLE-SIDED LED CROSS | 296        | € 1.971,32 |



It only requires connection to the 220 V mains. Effects by remote control. Transport with disassembled arms.

### SOLAR LED CROSS SIRIO 90

910 x 910 x 100 mm



| Code            | Description                                  | LED Number | €/Pcs.     |
|-----------------|----------------------------------------------|------------|------------|
| RSIRIO90SOLAREB | DOUBLE-SIDED LED CROSS WITH PHOTOVOLTAIC KIT | 296        | € 4.460,00 |



It only requires connection to the 220 V mains. Effects by remote control. Transport with disassembled arms.

### LED CROSS SLIM 70 GR - GRAFICA

675 x 675 x 30 mm



| Code        | Description                                       | LED Number | €/Pcs.     |
|-------------|---------------------------------------------------|------------|------------|
| RSLIM700GRB | DOUBLE-SIDED LED CROSS                            | 1.440      | € 3.233,50 |
| RSLIM700GRM | SINGLE-SIDED LED CROSS                            | 720        | € 2.748,48 |
| RCROSSCAL   | AUTOMATIC DAY/NIGHT MESSAGE MANAGEMENT SOFTWARE   |            | € 278,75   |
| RKITWIRE    | WIRELESS TX + RX KIT WIRELESS PC/CROSS CONNECTION |            | € 468,30   |



Connection to PC required.

### LED CROSS SLIM CLOCK 70 - RESINED LED

675 x 675 x 30 mm



| Code           | Description                          | LED Number | €/Pcs.     |
|----------------|--------------------------------------|------------|------------|
| RSLIMCLOCK700B | DOUBLE-SIDED SLIM LED CROSS WITH ODT | 1.162      | € 3.188,90 |
| RSLIMCLOCK700M | SINGLE-SIDED SLIM LED CROSS WITH ODT | 581        | € 2.710,57 |
| RBSSLIMM       | SPACED BOX WITH 1.5 M CABLE          |            | € 267,00   |




It only requires connection to the 220 V mains. Effects by remote control.

### LED CROSS SLIM 80 GRAFICA

800 x 800 x 30 mm



| Code       | Description                                       | LED Number | €/Pcs.     |
|------------|---------------------------------------------------|------------|------------|
| RSLIM80GRB | DOUBLE-SIDED LED CROSS                            | 1.536      | € 3.969,40 |
| RSLIM80GRM | SINGLE-SIDED LED CROSS                            | 768        | € 3.373,99 |
| RCROSSCAL  | AUTOMATIC DAY/NIGHT MESSAGE MANAGEMENT SOFTWARE   |            | € 278,75   |
| RKITWIRE   | WIRELESS TX + RX KIT WIRELESS PC/CROSS CONNECTION |            | € 468,30   |



It only requires connection to the 220 V mains. Effects by remote control.

### LED CROSS BOLD 70

700 X 700 X 135



| Code       | Description            | LED Number | €/Pcs.     |
|------------|------------------------|------------|------------|
| RBOLD7010B | DOUBLE-SIDED LED CROSS | 18.432     | € 3.902,50 |
| RBOLD7010M | SINGLE-SIDED LED CROSS | 9.216      | € 3.317,12 |



It only requires connection to the 220 V mains. Effects by remote control.

## PHARMACY CROSSES

### LED CROSS SLIM 70 LINEAR

675 x 675 x 30 mm



| Code        | Description                                                       | LED Number | €/Pcs.     |
|-------------|-------------------------------------------------------------------|------------|------------|
| RSLIM700B   | DOUBLE-SIDED LED CROSS                                            | 992        | € 2.731,75 |
| RSLIM700M   | SINGLE-SIDED LED CROSS - FLAG INSTALLATION ONLY                   | 446        | € 2.321,43 |
| RSLIM700MBS | SLIM SINGLE-SIDED LED CROSS WITH SPACED BOX WITH CONNECTION CABLE | 446        | € 0,00     |
| RBSSLIMM    | SPACED BOX WITH 1.5 M CABLE                                       |            | € 267,00   |

It only requires connection to the 220 V mains. Effects by remote control.



### LED CROSS SIRIO 70 - RESINED LED

638 x 638 x 100 mm



| Code      | Description            | LED Number | €/Pcs.     |
|-----------|------------------------|------------|------------|
| RSIRIO70B | DOUBLE-SIDED LED CROSS | 640        | € 1.895,50 |

It only requires connection to the 220 V mains. Effects by remote control.




### LED CROSS SLIM 50 LINEAR - RESINED LED

501 x 501 x 30 mm



| Code      | Description                                     | LED Number | €/Pcs.     |
|-----------|-------------------------------------------------|------------|------------|
| RSLIM500B | DOUBLE-SIDED LED CROSS                          | 640        | € 2.341,50 |
| RSLIM500M | SINGLE-SIDED LED CROSS - FLAG INSTALLATION ONLY | 320        | € 1.990,75 |
| RBSSLIMM  | SPACED BOX WITH 1.5 M CABLE                     |            | € 267,00   |

It only requires connection to the 220 V mains. Effects by remote control.




### LED CROSS SIRIO 30 AND 40 - RESINED LED

0



| Code     | Description                                        | LED Number | €/Pcs.     |
|----------|----------------------------------------------------|------------|------------|
| RRESE40B | DOUBLE-SIDED LED CROSS - RESINED 400 x 400 x 20 mm | 320        | € 2.174,25 |
| RRESE40M | SINGLE-SIDED LED CROSS - RESINED 400 x 400 x 20 mm | 320        | € 1.059,25 |
| RRESE30M | SINGLE-SIDED LED CROSS - RESINED 300 x 300 x 20 mm | 320        | € 780,50   |

It only requires connection to the 220 V mains. Effects by remote control and magnetic switch.




### LED CROSS SIRIO 40 AND 30 WINDOW SHOP - FOR INSIDE



| Code      | Description                                          | LED Number | €/Pcs.     |
|-----------|------------------------------------------------------|------------|------------|
| RSIRIO40B | DOUBLE-SIDED WINDOW SHOP LED CROSS 400 x 400 x 20 mm | 320        | € 1.895,50 |
| RSIRIO40M | SINGLE-SIDED WINDOW SHOP LED CROSS 400 x 400 x 20 mm | 320        | € 825,10   |
| RSIRIO30M | SINGLE-SIDED WINDOW SHOP LED CROSS 300 x 300 x 20 mm | 120        | € 557,50   |

It only requires connection to the 220 V mains. Effects by magnetic switch.



## PHARMACY CROSSES

### NON-STANDARD BRACKETS

| Description                                                               | €/Pz.    |
|---------------------------------------------------------------------------|----------|
| PAIR OF STAINLESS STEEL BRACKETS FOR 130 MM TO 200 MM SQUARE POLE         | € 245,30 |
| PAIR OF STAINLESS STEEL BRACKETS FOR ROUND POLE DIAMETER 130 MM TO 200 MM | € 245,30 |
| PAIR OF STAINLESS STEEL 90° ANGLE BRACKETS WITH SLOT                      | € 267,60 |
| PAIR OF STAINLESS STEEL BRACKETS 500 MM                                   | € 267,60 |
| PAIR OF STAINLESS STEEL BRACKETS 1000 MM                                  | € 356,80 |

### NON-STANDARD CROSS PAINTING

| Description                                   | €/Pz.    |
|-----------------------------------------------|----------|
| CROSS PAINTING WITH CUSTOMISED RAL            | € 334,50 |
| PAINTING PAIR OF BRACKETS WITH CUSTOMISED RAL | € 178,40 |