CHAPTER SEVEN
displays and LED crosses

		CLOCK OD/ODT	Date
	CLOCK OD info	INFO CLOCK OD	
Pag.	7.01	CLOCK OD IN/OUT MONO./BIF.	January 2026
		LED DISPLAYS	
Pag.	7.03	ALPHANUMERIC DISPLAY STEP 8 MONOF.	January 2026
Pag.	7.04	ALPHANUMERIC DISPLAY STEP 8 DOUBLE-FACES.	January 2026
Pag.	7.05	ALPHANUMERIC DISPLAY STEP 10 MONOF.	January 2026
Pag.	7.05B	ALPHANUMERIC DISPLAY STEP 10 BIF.	January 2026
Pag.	7.06	ALPHANUMERIC DISPLAY STEP 16 MONOF.	January 2026
Pag.	7.06B	ALPHANUMERIC DISPLAY STEP 16 BIF.	January 2026
Pag.	7.07	OUTDOOR T-CITY MODULAR DISPLAY HC 70/HC 110	September 7,07
Pag.	7.08 - 7.08A	OUTDOOR GRAPHIC DISPLAYS PITCH 3.91/4.81/6.67/2.60	November 2026
Pag.	7.09	MONOF DISPLAY FOR PHOTOVOLTAIC MONITORING WATT SUN 1/WATT SUN 3	April 2023
Pag.	7.10	MONOF DISPLAY FOR PHOTOVOLTAIC MONITORING WATT SUN 4/WATT SUN 5	April 2023
Pag.	7.11	NEXTY QUEUE DISPLAY	January 2026
		PHARMACY CROSSES	
Pag.	7.15	UNICA LED CROSS 150-120	March 2026
		BOLD LED CROSS 120-90-70-50	
Pag.	7.16	MODULAR LEC CROSS 150-90	March 2026
		ZODIAC LED CROSS 125	
		SLIM GRAFICA LED CROSS 90-70-50	
Pag.	7.17	SLIM LED CROSS 90-70-50	March 2026
		SIRIO LED CORSS 40-30	
	7.18	PHOTOVOLTAIC LED CROSS 90	March 2026
Pag.	7.19	CROSSES ACCESSORIES	March 2026



PHOTOVOLTAIC LED CROSS 90

CROWN COLOUR (GREEN)



INTERNAL GRAPHIC COLOUR/INFO (ES. GREEN)



MULTICOLOUR

GENERAL SALES CONDITIONS

INTRODUCTION
All the hereunder conditions are intended and accepted for each order you send to us.
Prices do not include VAT and extra fees eventually needed. Any change in prices will be agreed before the delivery.

1. ORDERS
All orders are accepted and executed on the basis of the following conditions, which will govern future deliveries, even when not reproduced.
All orders should be sent to us by fax or e-mail. Except in case of different agreements, we will debt a fixed contribution of € 15,00.
= (as partial reimbursement for bank and customs fees).

2. DELIVERIES
Goods are delivered at the buyer's risk.
Quoted times for delivery are not binding. Buyers cannot refuse the goods or ask for a reimbursement in case of delayed delivery.

3. COMPLAINTS AND RETURN OF GOODS
The client must check the condition of the goods upon its arrival and, in case of damage, to take the proper actions.
Shortcomings in quantity and quality may be claimed in written form, within 8 days from the receipt of the goods.
If the claim is prompt and justified, Buyers have exclusively entitlement to replacement of the products.
Abatements as well as making good of direct or indirect loss shall not be possible.

4. PAYMENTS
If the customer defaults on the payment of an invoice or an installment, any and all other outstanding invoice amounts or installments shall immediately become due and payable. Consumers shall pay interest on the money debt during the time of default of € 25,00 plus a 7 points above the base rate. As far as Business Enterprises are concerned, we reserve the right to prove and claim a higher damage caused by the delay in payment.
In these cases, we will be unable to accept and execute any further orders until the settlement has been received.

5. TECHNICAL DATA
We reserve ourselves the right to modify the technical data stated, at any time and without notice.
On request, we will give assistance to the customers for the best use of the products, on the basis of available experience.

6. CONTROVERSIES
In case of lawsuits the competent court will be the one in Treviso.

7. PRIVACY
Our privacy policy updated in accordance with articles 13-14 of EU Regulations 2016/679 is available on our website www.cmngroup.eu, section "Conditions and Privacy".

INFO CLOCK OD


CLOCK OD

The new generation OD Clock displays offer innovative services compared to classic clocks / dat
transforming them into real information stations, among the functions included you will have th
- Manage display functions from PC rather than from Tablet, Ipad or iPhone. (STANDARD)
- Display Time in the format HH: MM. (STANDARD)
- Display Date in the format DD: MM. (STANDARD)
- Connection to NTP server for precise time updating. (STANDARD)
- Change the color of the writing among the 7 available. (STANDARD)
- Choose to display the latest news automatically on the bottom banner of the display
which will be sent every 15 minutes by the main newspapers. (ACCESSORY NW01)
- Display temperature. (ACCESSORY TP01)
- View the weather forecast. (ACCESSORY MT01)



CLEAN DESIGN

The structure of the T-city displays is designed to be as simple as possible even for maintenance.
Only 3 components that, assembled according to customer requests, form the complete display
of all Clock OD 2019 features.
The RGB LED matrices are assembled modularly so as to compose the display with the dimensions
requests from the customer.



www.t-city.it SYSTEM

All panels are connected 24/24 to the T-city portal, the most dynamic and comfortable way to manage with
maximum freedom the information of Date, Time, Temperature, Weather Forecast, News ...



OD FUNCTIONS

All versions are made with multicolor LED matrices, integrated geolocalizer, 24/24 connection, clock, date display,
connection to the NTP server, color setting software, with the possibility
to enrich personalization with accessories.

MECHANICAL PRODUCT DETAILS

- Type of structure: Fondo / Cover V. 2019.
- Material: prepainted aluminum.
- IP54 protection. (FOR EXTERIORS)
- Vietria: INOX
- BOX color: Silver. (STANDARD) (POSSIBILITY OF PAINTING ON SPECIFIC RAL)
- Installation: L brackets for wall mounting.
- Additional protection: aluminum canopy included in all supplies.
- LED matrix: front access for P10 and P16, rear access for P8.
- Power supply: Internal.
- Power supply: 110-220V (POSSIBILITY OF CHANGE ON REQUEST)

CONNECTIONS COMMUNICATION

- Standard Connections: Power supply + ethernet LAN cable.
- Accessory available connections: temperature sensor with 3 m cable.
cable for Alarm / alarm kit, cable for countdown stopwatch kit.
- Cable exit: rear side with Pg11.
- Rear protection: IP54.

CLOCK OD

CLOCK OD INDOOR/OUTDOOR SINGLE-FACE (7 COLORS)

Code	Description	IP Class	€/Pcs.
ROD3216P8	CLOCK OD 32x16 PXL P8 - HC 120 mm. - DIST. 40 m. - 276x148x75 mm. - 4 CRT	54	€ 996,00
ROD6416P8	CLOCK OD 64x16 PXL P8 - HC 120 mm. - DIST. 40 m. - 532x148x75 mm. - 4 CRT	54	€ 1.043,00
ROD3216P10	CLOCK OD 32x16 PXL P10 - HC 160 mm. - DIST. 40 m. - 340x180x75 mm. - 4 CRT	54	€ 1.051,00
ROD6416P10	CLOCK OD 64x16 PXL P10 - HC 160 mm. - DIST. 60 m - 660x180x75 mm. - 4 CRT	54	€ 1.189,00
ROD6432P8	CLOCK OD 64x32 PXL P8 - HC 240 mm. - DIST. 70 m. - 532x276x75 mm. - 4 CRT	54	€ 1.215,00
ROD4816P16	CLOCK OD 48x16 PXL P16 - HC 250 mm. - DIST. 100 m. - 785x276x75 mm. - 4 CRT	54	€ 1.920,00
ROD6432P16	CLOCK OD 64x32 PXL P16 - HC 400 mm. - DIST. 160 m. - 1040x530x75 mm. - 4 CRT	54	€ 3.368,00
ROD9632P16	CLOCK OD 96x32 PXL P16 - HC 500 mm. - DIST. 200 m - 1550x530x75 mm. - 4 CRT	54	€ 3.993,00
ROD9648P16	CLOCK OD 96x48 PXL P16 - HC 605 mm. - DIST. 300 m - 1550x785x75 mm. - 4 CRT	54	€ 5.940,00





CLOCK OD INDOOR/OUTDOOR DOUBLE-FACE (7 COLORS)

Code	Description	IP Class	€/Pcs.
ROD3216P8B	CLOCK OD 32x16 PXL BIF. P8 - HC 120 - DIST. 40 m. - 276x148x105 - 4 CRT	54	€ 1.341,00
ROD6416P8B	CLOCK OD 64x16 PXL BIF. P8 - HC 120 - DIST. 40 m. - 532x148x105 - 4 CRT	54	€ 1.409,00
ROD3216P10B	CLOCK OD 32x16 PXL BIF. P10 - HC 160 - DIST. 40 m. - 340x180x105 - 4 CRT	54	€ 1.397,00
ROD6416P10B	CLOCK OD 64x16 PXL BIF. P10 - HC 160 - DIST. 60 m. - 660x180x105 - 4 CRT	54	€ 1.711,00
ROD6432P8B	CLOCK OD 64x32 PXL BIF. P8 - HC 240 - DIST. 70 m. - 532x276x105 - 4 CRT	54	€ 1.750,00
ROD4816P16B	CLOCK OD 48x16 PXL BIF. P16 - HC 250 - DIST. 100 m. - 785x275x105 - 4 CRT	54	€ 2.815,00
ROD6432P16B	CLOCK OD 64x32 PXL BIF. P16 - HC 400 - DIST. 160 m. - 1040x530x105 - 4 CRT	54	€ 5.880,00
ROD9632P16B	CLOCK OD 96x32 PXL BIF. P16 - HC 500 - DIST. 200 m. - 1550x530x105 - 4 CRT	54	€ 7.041,00
ROD9648P16B	CLOCK OD 96x48 PXL BIF. P16 - HC 605 - DIST. 300 m. - 1550x785x105 - 4 CRT	54	€ 10.215,00





Accessories Code	Description	Included	€/Pcs.
RCLOCKSYNC5	CLOCK SYNCHRONIZER - ALLOWS TO SYNCHRONIZE TIME AND DATE	YES	-
RCLOCKSYNC10	CLOCK SYNCHRONIZER - ALLOWS TO SYNCHRONIZE TIME, DATE, WEATHER, ALERTS	NO	€ 112,00
RMT01	WEATHER FORECAST KIT - ALLOWS TO DISPLAY THE WEATHER OF THE DAY	NO	€ 180,00
RMTA	WEATHER ALERT KIT - ALLOWS TO DISPLAY WEATHER ALERTS	NO	€ 670,00
RPM01	FINE DUST KIT - ALLOWS TO DISPLAY THE VALUE OF PM10 OR 2.5	NO	€ 388,00
RTP01	TEMPERATURE SENSOR - WITH 3 m CABLE. + THERMOMETER ICON	NO	€ 98,00
RNA0	ALARM / SIREN NA FOR ADDITIONAL SIREN MANAGEMENT		€ 235,00
RHR01	HUMIDITY SENSOR		€ 265,00
RCD01	COUNTDOWN - COUNT-UP CARD	NO	€ 290,00
-	FLAG BRACKETS	BASIC	-

LED DISPLAY

ALFANUMERIC DISPLAY P. 8 mm. SINGLE-FACE
(MATRIX 256x128 MM - MULTICOLOR MULTIDIMENSION)

Code	Size	IP Class	€/Pcs.	Code	Size	IP Class	€/Pcs.
RWD3216P08	256x128x105 mm	54	€ 482,00	RWD19216P08	1536x128x105 mm	54	€ 1.409,00
RWD6416P08	512x128x105 mm	54	€ 662,00	RWD22416P08	1792x128x105 mm	54	€ 1.610,00
RWD9616P08	768x128x105 mm	54	€ 842,00	RWD25616P08	2048x128x105 mm	54	€ 1.804,00
RWD12816P08	1024x128x105 mm	54	€ 1.020,00	RWD28816P08	2304x128x105 mm	54	€ 1.990,00
RWD16016P08	1280x128x105 mm	54	€ 1.200,00	RWD32016P08	2560x128x105 mm	54	€ 2.165,00
RWD3232P08	256x256x105 mm	54	€ 662,00	RWD19232P08B	1536x256x105 mm	54	€ 2.559,00
RWD6432P08	512x256x105 mm	54	€ 1.020,00	RWD22432P08B	1792x256x105 mm	54	€ 2.940,00
RWD9632P08	768x256x105 mm	54	€ 1.409,00	RWD25632P08B	2048x256x105 mm	54	€ 3.308,00
RWD12832P08	1024x256x105 mm	54	€ 1.804,00	RWD28832P08B	2304x256x105 mm	54	€ 3.723,00
RWD16032P08	1280x256x105 mm	54	€ 2.165,00	RWD32032P08B	2560x256x105 mm	54	€ 4.074,00
RWD3248P0	256X384X105 mm	54	€ 842,00	RWD19248P08	1536x384x105 mm	54	€ 3.723,00
RWD6448O08	512x384x105 mm	54	€ 1.409,00	RWD22448P08	1792x384x105 mm	54	€ 4.298,00
RWD9648P08	768x384x105 mm	54	€ 1.990,00	RWD25648P08	2048x384x105 mm	54	€ 4.864,00
RWD12848P08	1024x384x105 mm	54	€ 2.559,00	RWD28848P08	2304x384x105 mm	54	€ 5.416,00
RWD16048P08	1280x384x105 mm	54	€ 3.166,00	RWD32048P08	2560x384x105 mm	54	€ 5.959,00
RWD3264P08	256x512x105 mm	54	€ 1.020,00	RWD19264P08	1536x612x105 mm	54	€ 4.864,00
RWD6464P08	512x512x105 mm	54	€ 1.804,00	RWD22464P08	1792x512x105 mm	54	€ 5.617,00
RWD9664P08	768x512x105 mm	54	€ 2.559,00	RWD25664P08	2048x512x105 mm	54	€ 6.355,00
RWD12864P08	1024x512x105 mm	54	€ 3.308,00	RWD28848P08	2304x512x105 mm	54	€ 7.078,00
RWD16064P08	1280x512x105 mm	54	€ 4.074,00	RWD32064P08	2560x512x105 mm	54	€ 7.785,00
RWD3280P08	256x640x105 mm	54	€ 1.200,00	RWD19280P08	1536x640x105 mm	54	€ 5.959,00
RWD6480P08	512x640x105 mm	54	€ 2.165,00	RWD22480P08	1792x640x105 mm	54	€ 6.881,00
RWD9680P08	768x640x105 mm	54	€ 3.166,00	RWD25680P08	2048x640x105 mm	54	€ 7.785,00
RWD12880P08	1024x640x105 mm	54	€ 4.074,00	RWD28880P08	2304x640x640 mm	54	€ 8.759,00
RWD12880P08	1024x640x105 mm	54	€ 5.041,00	RWD32080P08	2560x640x105 mm	54	€ 9.041,00

Accessories

Accessories Code	Description	Included	€/Pcs.
RTP01	TEMPERATURE SENSOR WITH 3 m CABLE.	NO	€ 78,00
RLM01	BRIGHTNESS SENSOR	NO	€ 63,00

Scheda CPU	Descrizione		Included	€/Pcs.
Alfa-Digit	Display of alphanumeric writings in 7 colors, 4 types of fonts. Management via Tech communication protocol, WD Folder software, ASCII protocol (RS485), Modus (RS485), AT Visan protocol	LAN o RS 485	NO	€ 510,00
		8CN Card	NO	€ 456,00
		Box 96 CN RS485	NO	€ 1.540,00
		4-20 Card	NO	€ 342,00
Scheda WD	Display of writings, images or animations in FULLCOLOR mode in the most common formats: JPG, BMP MP $, AVI, GIF, etc.	LAN or RS 485	NO	€ 458,00

FUNCTIONS

Clock, date, countdown, programming schedules for date and time, software with LAN Ethernet connection, multicolor writings, writings with colored background, multidimensional writings, flowing writings, fixed or pages, 20 graphic effects attributable to the writings, software brightness adjustment, possibility to display small multicolored logos.



LED DISPLAY

ALFANUMERIC DISPLAY P. 08 mm. SINGLE-FACE
(MATRIX 256x128 MM - MULTICOLOR MULTIDIMENSION)

Code	Size	IP Class	€/Pcs.	Code	Size	IP Class	€/Pcs.
RWD3216P08B	256x128x105 mm	54	€ 862,00	RWD19216P08B	1536x128x105 mm	54	€ 2.522,00
RWD6416P08B	512x256x105 mm	54	€ 1.184,00	RWD22416P08B	1792x128x105 mm	54	€ 2.882,00
RWD9616P08B	768x128x105 mm	54	€ 1.505,00	RWD25616P08B	2048x128x105 mm	54	€ 3.228,00
RWD12816P08B	1024x128x105 mm	54	€ 1.826,00	RWD28816P08B	2304x128x105 mm	54	€ 3.560,00
RWD16016P08B	1280x128x105 mm	54	€ 2.148,00	RWD32016P08B	2560x128x105 mm	54	€ 3.875,00
RWD3232P08B	256x256x105 mm	54	€ 1.184,00	RWD6432P08B	1536x256x105 mm	54	€ 4.579,00
#RIF!	512x256x105 mm	54	€ 1.826,00	RWD22432P08B	1792x256x105 mm	54	€ 5.262,00
RWD9632P08B	768x256x105 mm	54	€ 2.522,00	RWD25632P08B	2048x256x105 mm	54	€ 5.922,00
RWD12832P08B	1024x256x105 mm	54	€ 3.228,00	RWD28832P08B	2304x256x105 mm	54	€ 6.664,00
RWD16032P08B	1280x256x105 mm	54	€ 3.875,00	RWD32032P08B	2560x256x105 mm	54	€ 7.292,00
RWD3248P08B	256X384X105 mm	54	€ 1.505,00	RWD19248P08B	1536x384x105 mm	54	€ 6.664,00
RWD6448O08B	512x384x105 mm	54	€ 2.522,00	RWD22448P08B	1792x384x105 mm	54	€ 7.696,00
RWD9648P08B	768x384x105 mm	54	€ 3.560,00	RWD25648P08B	2048x384x105 mm	54	€ 8.706,00
RWD12848P08B	1024x384x105 mm	54	€ 4.579,00	RWD28848P08B	2304x384x105 mm	54	€ 9.696,00
RWD16048P08B	1280x384x105 mm	54	€ 5.666,00	RWD32048P08B	2560x384x105 mm	54	€ 10.660,00
RWD3264P08B	256x512x105 mm	54	€ 1.826,00	RWD19264P08B	1536x612x105 mm	54	€ 8.706,00
RWD6464P08B	512x512x105 mm	54	€ 3.228,00	RWD22464P08B	1792x512x105 mm	54	€ 1.055,00
RWD9664P08B	768x512x105 mm	54	€ 4.579,00	RWD25664P08B	2048x512x105 mm	54	€ 11.377,00
RWD12864P08B	1024x512x105 mm	54	€ 5.922,00	RWD28848P08B	2304x512x105 mm	54	€ 12.670,00
RWD16064P08B	1280x512x105 mm	54	€ 7.292,00	RWD32064P08B	2560x512x105 mm	54	€ 13.937,00
RWD3280P08B	256x640x105 mm	54	€ 2.148,00	RWD19280P08B	1536x640x105 mm	54	€ 10.660,00
RWD6480P08B	512x640x105 mm	54	€ 3.875,00	RWD22480P08B	1792x640x105 mm	54	€ 12.317,00
RWD9680P08B	768x640x105 mm	54	€ 5.666,00	RWD25680P08B	2048x640x105 mm	54	€ 13.937,00
RWD12880P08B	1024x640x105 mm	54	€ 7.292,00	RWD28880P08B	2304x640x640 mm	54	€ 15.679,00
RWD12880P08B	1024x640x105 mm	54	€ 8.676,00	RWD32080P08B	2560x640x105 mm	54	€ 16.182,00

Accessories

Accessories Code	Description	Included	€/Pcs.
RTP01	TEMPERATURE SENSOR WITH 3 m CABLE.	NO	€ 78,00
RLM01	BRIGHTNESS SENSOR	NO	€ 63,00

Scheda CPU	Descrizione		Included	€/Pcs.
Alfa-Digit	Display of alphanumeric writings in 7 colors, 4 types of fonts. Management via Tech communication protocol, WD Folder software, ASCII protocol (RS485), Modus (RS485), AT Visan protocol	LAN o RS 485	NO	€ 510,00
		8CN Card	NO	€ 456,00
		Box 96 CN RS485	NO	€ 1.540,00
		4-20 Card	NO	€ 342,00
Scheda WD	Display of writings, images or animations in FULLCOLOR mode in the most common formats: JPG, BMP MP $, AVI, GIF, etc.	LAN or RS 485	NO	€ 458,00

FUNCTIONS

Clock, date, countdown, programming schedules for date and time, software with LAN Ethernet connection, multicolor writings, writings with colored background, multidimensional writings, flowing writings, fixed or pages, 20 graphic effects attributable to the writings, software brightness adjustment, possibility to display small multicolored logos.



LED DISPLAY

ALFANUMERIC DISPLAY P. 10 mm. SINGLE-FACE
(MATRIX 320x160 MM - MULTICOLOR MULTIDIMENSION)

Code	Size	IP Class	€/Pcs.	Code	Size	IP Class	€/Pcs.
RWD3216P10	320x160x75 mm	54	€ 490,00	RWD19216P10	1920x160x75 mm	54	€ 1.419,00
RWD6416P10	640x160x75 mm	54	€ 681,00	RWD22416P10	2240x160x75 mm	54	€ 1.642,00
RWD9616P10	960x160x75 mm	54	€ 873,00	RWD25616P10	2560x160x75 mm	54	€ 1.890,00
RWD12816P10	1280x160x75 mm	54	€ 1.064,00	RWD28816P10	2880x160x75 mm	54	€ 2.161,00
RWD16016P10	1600x160x75 mm	54	€ 1.255,00	RWD32016P10	3200x160x75 mm	54	€ 2.350,00
RWD3232P10	320x320x75 mm	54	€ 681,00	RWD19232P10	1920x320x75 mm	54	€ 2.740,00
RWD6432P10	640x320x75 mm	54	€ 1.064,00	RWD22432P10	2240x320x75 mm	54	€ 3.070,00
RWD9632P10	960x320x75 mm	54	€ 1.419,00	RWD25632P10	2560x320x75 mm	54	€ 3.411,00
RWD12832P10	1280x320x75 mm	54	€ 1.890,00	RWD28832P10	2880x320x75 mm	54	€ 3.958,00
RWD16032P10	1600x320x75 mm	54	€ 2.350,00	RWD32032P10	3200x320x75 mm	54	€ 4.334,00
RWD3248P10	320x480x75 mm	54	€ 873,00	RWD19248P10	1920x480x75 mm	54	€ 3.958,00
RWD6448P10	640x480x75 mm	54	€ 1.419,00	RWD22448P10	2240x480x75 mm	54	€ 4.299,00
RWD9648P10	960x480x75 mm	54	€ 2.161,00	RWD25648P10	2560x480x75 mm	54	€ 5.100,00
RWD12848P10	1280x480x75 mm	54	€ 2.740,00	RWD28848P10	2880x480x75 mm	54	€ 5.652,00
RWD16048P10	1600x480x75 mm	54	€ 3.166,00	RWD32048P10	3200x480x75 mm	54	€ 6.313,00
RWD3264P10	320x640x75 mm	54	€ 1.064,00	RWD19264P10	1920x640x75 mm	54	€ 5.100,00
RWD6464P10	640x640x75 mm	54	€ 1.890,00	RWD22464P10	2240x640x75 mm	54	€ 5.904,00
RWD9664P10	960x640x75 mm	54	€ 2.740,00	RWD25664P10	2560x640x75 mm	54	€ 6.600,00
RWD12864P10	1280x640x75 mm	54	€ 3.411,00	RWD28864P10	2880x640x75 mm	54	€ 7.361,00
RWD16064P10	1600x640x75 mm	54	€ 4.334,00	RWD32064P10	3200x640x75 mm	54	€ 6.313,00
RWD3280P10	320x800x75 mm	54	€ 1.255,00	RWD19280P10	1920x800x75 mm	54	€ 6.313,00
RWD6480P10	640x800x75 mm	54	€ 2.350,00	RWD22480P10	2240x800x75 mm	54	€ 6.881,00
RWD9680P10	960x800x75 mm	54	€ 3.166,00	RWD25680P10	2560x800x75 mm	54	€ 8.140,00
RWD12880P10	1280x800x75 mm	54	€ 4.334,00	RWD28880P10	2880x800x75 mm	54	€ 9.114,00
RWD16080P10	1600x800x75 mm	54	€ 5.382,00	RWD32080P10	3200x800x75 mm	54	€ 9.394,00

Accessories

Accessories Code	Description	Included	€/Pcs.
RTP01	TEMPERATURE SENSOR WITH 3 m CABLE.	NO	€ 78,00
RLM01	BRIGHTNESS SENSOR	NO	€ 63,00

Scheda CPU	Descrizione		Included	€/Pcs.
Alfa-Digit	Display of alphanumeric writings in 7 colors, 4 types of fonts. Management via Tech communication protocol, WD Folder software, ASCII protocol (RS485), Modus (RS485), AT Visan protocol	**LAN o RS 485**	NO	€ 510,00
		8CN Card	NO	€ 456,00
		Box 96 CN RS485	NO	€ 1.540,00
		4-20 Card	NO	€ 342,00
Scheda WD	Display of writings, images or animations in FULLCOLOR mode in the most common formats: JPG, BMP MP $, AVI, GIF, etc.	**LAN or RS 485**	NO	€ 458,00

FUNCTIONS

Clock, date, countdown, programming schedules for date and time, software with LAN Ethernet connection, multicolor writings, writings with colored background, multidimensional writings, flowing writings, fixed or pages, 20 graphic effects attributable to the writings, software brightness adjustment, possibility to display small multicolored logos.



LED DISPLAY

ALFANUMERIC DISPLAY P. 10 mm. DOUBLE-FACE
(MATRIX 320x160 MM - MULTICOLOR MULTIDIMENSION)

Code	Size	IP Class	€/Pcs.	Code	Size	IP Class	€/Pcs.
RWD3216P10B	320x160x105 mm	54	€ 878,00	RWD19216P10B	1920x160x105 mm	54	€ 2.539,00
RWD6416P10B	640x160x105 mm	54	€ 1.220,00	RWD22416P10B	2240x160x105 mm	54	€ 2.939,00
RWD9616P10B	960x160x105 mm	54	€ 1.562,00	RWD25616P10B	2560x160x105 mm	54	€ 3.383,00
RWD12816P10B	1280x160x105 mm	54	€ 1.905,00	RWD28816P10B	2880x160x105 mm	54	€ 3.869,00
RWD16016P10B	1600x160x105 mm	54	€ 2.247,00	RWD32016P10B	3200x160x105 mm	54	€ 4.207,00
RWD3232P10B	320x320x105 mm	54	€ 1.220,00	RWD19232P10B	1920x320x105 mm	54	€ 4.909,00
RWD6432P10B	640x320x105 mm	54	€ 1.905,00	RWD22432P10B	2240x320x105 mm	54	€ 5.494,00
RWD9632P10B	960x320x105 mm	54	€ 2.539,00	RWD25632P10B	2560x320x105 mm	54	€ 6.105,00
RWD12832P10B	1280x320x105 mm	54	€ 3.383,00	RWD28832P10B	2880x320x105 mm	54	€ 7.084,00
RWD16032P10B	**1600x320x105 mm**	**54**	**€ 4.207,00**	**RWD32032P10B**	**3200x320x105 mm**	**54**	**€ 7.757,00**
RWD3248P10B	320x480x105 mm	54	€ 1.562,00	RWD19248P10B	1920x480x105 mm	54	€ 7.084,00
RWD6448P10B	640x480x105 mm	54	€ 2.539,00	RWD22448P10B	2240x480x105 mm	54	€ 7.696,00
RWD9648P10B	960x480x105 mm	54	€ 3.869,00	RWD25648P10B	2560x480x105 mm	54	€ 9.129,00
RWD12848P10B	1280x480x105 mm	54	€ 4.905,00	RWD28848P10B	2880x480x105 mm	54	€ 10.118,00
RWD16048P10B	**1600x480x105 mm**	**54**	**€ 5.666,00**	**RWD32048P10B**	**3200x480x105 mm**	**54**	**€ 11.301,00**
RWD3264P10B	320x640x105 mm	54	€ 1.905,00	RWD19264P10B	1920x640x105 mm	54	€ 9.129,00
RWD6464P10B	640x640x105 mm	54	€ 3.383,00	RWD22464P10B	2240x640x105 mm	54	€ 10.568,00
RWD9664P10B	960x640x105 mm	54	€ 4.905,00	RWD25664P10B	2560x640x105 mm	54	€ 11.814,00
RWD12864P10B	1280x640x105 mm	54	€ 6.105,00	RWD28864P10B	2880x640x105 mm	54	€ 13.178,00
RWD16064P10B	**1600x640x105 mm**	**54**	**€ 7.757,00**	**RWD32064P10B**	**3200x640x105 mm**	**54**	**€ 14.570,00**
RWD3280P10B	320x800x105 mm	54	€ 2.247,00	RWD19280P10B	1920x800x105 mm	54	€ 11.301,00
RWD6480P10B	640x800x105 mm	54	€ 4.207,00	RWD22480P10B	2240x800x105 mm	54	€ 12.317,00
RWD9680P10B	960x800x105 mm	54	€ 5.666,00	RWD25680P10B	2560x800x105 mm	54	€ 14.570,00
RWD12880P10B	1280x800x105 mm	54	€ 7.757,00	RWD28880P10B	2880x800x105 mm	54	€ 16.312,00
RWD16080P10B	1600x800x105 mm	54	€ 9.635,00	RWD32080P10B	3200x800x105mm	54	€ 16.816,00

Accessories

Accessories Code	Description	Included	€/Pcs.
RTP01	TEMPERATURE SENSOR WITH 3 m CABLE.	NO	€ 78,00
RLM01	BRIGHTNESS SENSOR	NO	€ 63,00

Scheda CPU	Descrizione		Included	€/Pcs.
Alfa-Digit	Display of alphanumeric writings in 7 colors, 4 types of fonts. Management via Tech communication protocol, WD Folder software, ASCII protocol (RS485), Modus (RS485), AT Visan protocol	**LAN o RS 485**	NO	€ 510,00
		8CN Card	NO	€ 456,00
		Box 96 CN RS485	NO	€ 1.540,00
		4-20 Card	NO	€ 342,00
Scheda WD	Display of writings, images or animations in FULLCOLOR mode in the most common formats: JPG, BMP MP $, AVI, GIF, etc.	**LAN or RS 485**	NO	€ 458,00

FUNCTIONS

Clock, date, countdown, programming schedules for date and time, software with LAN Ethernet connection, multicolor writings, writings with colored background, multidimensional writings, flowing writings, fixed or pages, 20 graphic effects attributable to the writings, software brightness adjustment, possibility to display small multicolored logos.



LED DISPLAY

ALFANUMERIC DISPLAY P. 16 mm. SINGLE-FACE

(MATRIX 256x256 MM - MULTICOLOR MULTIDIMENSION)

Code	Size	IP Class	€/Pcs.	Code	Size	IP Class	€/Pcs.
RWD1616P16	256x256x75 mm	54	€ 460,00	RWD9616P16	1536x256x75 mm	54	€ 1.448,00
RWD3216P16	512x256x75 mm	54	€ 662,00	RWD11216P16	1792x256x75 mm	54	€ 1.662,00
RWD4816P16	768x256x75 mm	54	€ 864,00	RWD12816P16	2048x256x75 mm	54	€ 1.840,00
RWD6416P16	1024x256x75 mm	54	€ 1.067,00	RWD14416P16	2304x256x75 mm	54	€ 2.029,00
RWD8016P16	1280x256x75 mm	54	€ 1.270,00	RWD16016P16	2560x256x75 mm	54	€ 2.207,00
RWD1632P16	256x512x75 mm	54	€ 662,00	RWD9632P16	1536x512x75 mm	54	€ 2.643,00
RWD3232P16	512x512x75 mm	54	€ 1.067,00	RWD11232P16	1792x512x75 mm	54	€ 3.017,00
RWD4832P16	768x512x75 mm	54	€ 1.448,00	RWD12832P16	2048x512x75 mm	54	€ 3.420,00
RWD6432P16	1024x512x75 mm	54	€ 1.840,00	RWD14432P16	2304x512x75 mm	54	€ 3.802,00
RWD8032P16	1280x512x75 mm	54	€ 2.207,00	RWD16032P16	2560x512x75 mm	54	€ 4.170,00
RWD1648P16	256x768x75 mm	54	€ 874,00	RWD9648P16	1536x768x75 mm	54	€ 3.802,00
RWD3248P16	512x768x75 mm	54	€ 1.448,00	RWD11248P16	1792x768x75 mm	54	€ 4.462,00
RWD4848P16	768x768x75 mm	54	€ 2.029,00	RWD12848P16	2048x768x75 mm	54	€ 4.943,00
RWD6448P16	1024x768x75 mm	54	€ 2.643,00	RWD14448P16	2304x768x75 mm	54	€ 5.617,00
RWD8048P16	1280x768x75 mm	54	€ 3.287,00	RWD16048P16	2560x768x75 mm	54	€ 6.132,00
RWD1664P16	256x1024x75 mm	54	€ 1.009,00	RWD9664P16	1536x1024x75 mm	54	€ 4.993,00
RWD3264P16	512x1024x75 mm	54	€ 1.840,00	RWD11264P16	1792x1024x75 mm	54	€ 5.450,00
RWD4864P16	768x1024x75 mm	54	€ 2.643,00	RWD12864P16	2048x1024x75 mm	54	€ 6.249,00
RWD6464P16	1024x1024x75 mm	54	€ 3.420,00	RWD14464P16	2304x1024x75 mm	54	€ 6.853,00
RWD8064P16	1280x1024x75 mm	54	€ 4.170,00	RWD16064P16	2560x1024x75 mm	54	€ 7.555,00
RWD1680P16	256x1280x75 mm	54	€ 1.270,00	RWD9680P16	1536x1280x75 mm	54	€ 6.132,00
RWD3280P16	512x1280x75 mm	54	€ 2.207,00	RWD11280P16	1792x1280x75 mm	54	€ 7.146,00
RWD4880P16	768x1280x75 mm	54	€ 3.287,00	RWD12880P16	2048x1280x75 mm	54	€ 7.555,00
RWD6480P16	1024x1280x75 mm	54	€ 4.170,00	RWD14480P16	2304x1280x75 mm	54	€ 9.199,00
RWD8080P16	1280x1280x75 mm	54	€ 5.090,00	RWD16080P16	2560x1280x75 mm	54	€ 10.205,00

Accessories

Accessories Code	Description	Included	€/Pcs.
RTP01	TEMPERATURE SENSOR WITH 3 m CABLE.	NO	€ 78,00
RLM01	BRIGHTNESS SENSOR	NO	€ 63,00

Scheda CPU	Descrizione		Included	€/Pcs.
Alfa-Digit	Display of alphanumeric writings in 7 colors, 4 types of fonts. Management via Tech communication protocol, WD Folder software, ASCII protocol (RS485), Modus (RS485), AT Visan protocol	**LAN o RS 485**	NO	€ 510,00
		8CN Card	NO	€ 456,00
		Box 96 CN RS485	NO	€ 1.540,00
		4-20 Card	NO	€ 342,00
Scheda WD	Display of writings, images or animations in FULLCOLOR mode in the most common formats: JPG, BMP MP $, AVI, GIF, etc.	**LAN or RS 485**	NO	€ 458,00

FUNCTIONS

Clock, date, countdown, programming schedules for date and time, software with LAN Ethernet connection, multicolor writings, writings with colored background, multidimensional writings, flowing writings, fixed or pages, 20 graphic effects attributable to the writings, software brightness adjustment, possibility to display small multicolored logos.



LED DISPLAY

ALFANUMERIC DISPLAY P. 16 mm. DOUBLE-FACE

(MATRIX 256x256 MM - MULTICOLOR MULTIDIMENSION)

Code	Size	IP Class	€/Pcs.	Code	Size	IP Class	€/Pcs.
RWD161 6P16B	256x256x105 mm	54	€ 824,00	RWD9616P16B	1536x256x105 mm	54	€ 2.591,00
RWD3216P16B	512x256x105 mm	54	€ 1.186,00	RWD11216P16B	1792x256x105 mm	54	€ 2.974,00
RWD4816P16B	768x256x105 mm	54	€ 1.547,00	RWD12816P16B	2048x256x105 mm	54	€ 3.293,00
RWD6416P16B	1024x256x105 mm	54	€ 1.910,00	RWD14416P16B	2304x256x105 mm	54	€ 3.632,00
RWD8016P16B	1280x256x105 mm	54	€ 2.272,00	RWD16016P16B	2560x256x105 mm	54	€ 3.950,00
RWD1632P16B	256x530x105 mm	54	€ 1.186,00	RWD9632P16B	1536x530x105 mm	54	€ 4.731,00
RWD3232P16B	512x530x105 mm	54	€ 1.910,00	RWD11232P16B	1792x530x105 mm	54	€ 5.401,00
RWD4832P16B	768x530x105 mm	54	€ 2.591,00	RWD12832P16B	2048x530x105 mm	54	€ 6.120,00
RWD6432P16B	1024x530x105 mm	54	€ 3.293,00	RWD14432P16B	2304x530x105 mm	54	€ 6.806,00
RWD8032P16B	1280x530x105 mm	54	€ 3.950,00	RWD16032P16B	2560x530x105 mm	54	€ 7.464,00
RWD1648P16B	256x768x105 mm	54	€ 1.563,00	RWD9648P16B	1536x768x105 mm	54	€ 6.806,00
RWD3248P16B	512x768x105 mm	54	€ 2.591,00	RWD11248P16B	1792x768x105 mm	54	€ 7.987,00
RWD4848P16B	768x768x105 mm	54	€ 3.632,00	RWD12848P16B	2048x768x105 mm	54	€ 8.847,00
RWD6448P16B	1024x768x105 mm	54	€ 4.731,00	RWD14448P16B	2304x768x105 mm	54	€ 10.055,00
RWD8048P16B	1280x768x105 mm	54	€ 5.884,00	RWD16048P16B	2560x768x105 mm	54	€ 10.975,00
RWD1664P16B	256x1024x105 mm	54	€ 1.806,00	RWD9664P16B	1536x1024x75 mm	54	€ 8.847,00
RWD3264P16B	512x1024x105 mm	54	€ 3.293,00	RWD11264P16B	1792x1024x75 mm	54	€ 9.756,00
RWD4864P16B	768x1024x105 mm	54	€ 4.731,00	RWD12864P16B	2048x1024x75 mm	54	€ 11.186,00
RWD6464P16B	1024x1024x105 mm	54	€ 6.120,00	RWD14464P16B	2304x1024x75 mm	54	€ 12.266,00
RWD8064P16B	1280x1024x105 mm	54	€ 7.464,00	RWD16064P16B	2560x1024x75 mm	54	€ 13.524,00
RWD1680P16B	256x1280x75 mm	54	€ 2.272,00	RWD9680P16B	1536x1280x75 mm	54	€ 10.975,00
RWD3280P16B	512x1280x75 mm	54	€ 3.950,00	RWD11280P16B	1792x1280x75 mm	54	€ 12.791,00
RWD4880P16B	768x1280x75 mm	54	€ 5.884,00	RWD12880P16B	2048x1280x75 mm	54	€ 13.524,00
RWD6480P16B	1024x1280x75 mm	54	€ 7.464,00	RWD14480P16B	2304x1280x75 mm	54	€ 16.466,00
RWD8080P16B	1280x1280x75 mm	54	€ 9.110,00	RWD16080P16B	2560x1280x75 mm	54	€ 18.267,00

Accessories

Accessories Code	Description	Included	€/Pcs.
RTP01	TEMPERATURE SENSOR WITH 3 m CABLE.	NO	€ 78,00
RLM01	BRIGHTNESS SENSOR	NO	€ 63,00

Scheda CPU	Descrizione		Included	€/Pcs.
Alfa-Digit	Display of alphanumeric writings in 7 colors, 4 types of fonts. Management via Tech communication protocol, WD Folder software, ASCII protocol (RS485), Modus (RS485), AT Visan protocol	**LAN o RS 485**	NO	€ 510,00
		8CN Card	NO	€ 456,00
		Box 96 CN RS485	NO	€ 1.540,00
		4-20 Card	NO	€ 342,00
Scheda WD	Display of writings, images or animations in FULLCOLOR mode in the most common formats: JPG, BMP MP $, AVI, GIF, etc.	**LAN or RS 485**	NO	€ 458,00

FUNCTIONS

Clock, date, countdown, programming schedules for date and time, software with LAN Ethernet connection, multicolor writings, writings with colored background, multidimensional writings, flowing writings, fixed or pages, 20 graphic effects attributable to the writings, software brightness adjustment, possibility to display small multicolored logos.



LED DISPLAYS

DISPLAY T-CITY MODULAR OUTDOOR HC 70 mm. (MULTICOLOR - MAX DISTANCE 35 m.)

Code	Description	IP Class	€/Pcs.
RTHD216HF7	DISPLAY 2 LINE MULTICOLOR - 1100x450 mm. - NUM. TYPEFACE 2 LINE FOR 16 CRT	65	€ 3.130,00
RTHD416HF7	DISPLAY 4 LINE MULTICOLOR - 1100x560 mm. - NUM. TYPEFACE 4 LINE FOR 16 CRT	65	€ 5.780,00
RTHD616HF7	DISPLAY 6 LINE MULTICOLOR - 1100x710 mm. - NUM. TYPEFACE 6 LINE FOR 16 CRT	65	€ 6.590,00


DISPLAY T-CITY MODULAR OUTDOOR HC 110 mm. (MULTICOLOR - MAX DISTANCE 60 m.)

Code	Description	IP Class	€/Pcs.
RTHD216HF11	DISPLAY 2 LINE MULTICOLOR - 1850x650 mm. - NUM. TYPEFACE 2 LINE FOR 16 CRT	65	€ 4.450,00
RTHD416HF11	DISPLAY 4 LINE MULTICOLOR - 1850x855 mm. - NUM. TYPEFACE 4 LINE FOR 16 CRT	65	€ 7.510,00
RTHD421HF11	DISPLAY 4 LINE MULTICOLOR - 2180x855 mm. - NUM. TYPEFACE 4 LINE FOR 16 CRT	65	€ 7.980,00
RTHD621HF11	DISPLAY 6 LINE MULTICOLOR - 2180x1100 mm. - NUM. TYPEFACE 6 LINE FOR 16 CRT	65	€ 9.590,00

Accessories Code	Description	Included	€/Pcs.
ROPTIONALA1	WHITE LED BACKLIT SERIGRAPHY WITH EMBLEM AND CUSTOMER NAME	NO	€ 458,00
ROPTIONALA2	SUPPORT POLE H 2500 mm.	NO	€ 1.380,00
ROPTIONALB1	3G KIT FOR PC AND DISPLAY CONNECTIONS	NO	€ 365,00
ROPTIONALB2	NEWS KIT ENABLED ON THE LAST RANGE DISPLAY	YES*	€ 260,00
ROPTIONALC1	WEATHER FORECAST RECEPTION MODULE	YES*	€ 293,00
ROPTIONALS5	WEATHER ALERT KIT	NO	€ 988,00
***Except for the 216HF7 - 416HF7 - 216HF10 - 416HF10 models.**			

FUNCTIONS

Viewable writings. Possibility to edit fixed writings, on sliding or paginated lines.
7 written colors available, differentiable by single line or word.
Lowercase, uppercase, bold, numeric, weather graphics fonts.
The display has integrated a GPS satellite to detect the position on a GOOGLE map viewable by the customer.
The clock integrated in the panel has a GPS receiver, this allows you to provide precise time and date.
The temperature sensor is located on the lower side of the display and detects the room temperature.
Written programming via a dedicated t-city portal that can be managed from any PC, TABLET or smartphone connected to the internet.



LED DISPLAYS

Soluzioni professionali per esterni



Boxy-1000×1500-P2,6

Code:	RGDOBYB1015
Installation:	Outdoor
Pixel Pitch:	2,6
Display Type:	Boxy
Dimension:	1040×1540
Brightness:	5000 cd/m²
Maintenance Access:	Front access, book-style structure
List Price per Unit.:	**€ 10600,00**



Hulk-1000×500-P3,91

Code:	RGDOHKC1050
Installation:	Outdoor
Pixel Pitch:	3,91
Display Type:	Hulk
Dimension:	1000×500
Brightness:	5000–5500 cd/m²
Maintenance Access:	Front access
List Price per Unit.:	**€ 2310,00**



Boxy-1500×1000-P4,81

Code:	RGDOBYD1510
Installation:	Outdoor
Pixel Pitch:	4,81
Display Type:	Boxy
Dimension:	1500×1000
Brightness:	5500–6000 cd/m²
Maintenance Access:	Front access
List Price per Unit.	**€ 5988,00**



BIFACCIALE LED SU ENTRAMBI I LATI

Boxy-1000×1000-P3,91B

Code:	RJDOBYC1010
Installation:	Outdoor
Pixel Pitch:	3,91 B
Display Type:	Boxy
Dimension:	1000×1000
Brightness:	5000–5500 cd/m²
Maintenance Access:	Front access
List Price per Unit.:	**€ 8290,00**

Soluzioni professionali per interni



Hype 640-640-P2

Code:	RGDIHEA6464
Installation:	Indoor
Pixel Pitch:	2
Display Type:	Hype
Dimension:	640×640
Brightness:	1000–1200 cd/m²
Maintenance Access:	Front access
List Price per Unit.:	**€ 1.999,0**



Hype 750-250-P2,6

Code:	RGDIHEB7525
Installation:	Indoor
Pixel Pitch:	2,6
Display Type:	Hype
Dimension:	750×250
Brightness:	5000 cd/m²
Maintenance Access:	Front access
List Price per Unit.:	**€ 999,0**



Hype 1000-500-P2,6

Code:	RGDIHEB1050
Installation:	Indoor
Pixel Pitch:	2,6
Display Type:	Hype
Dimension:	1000×500
Brightness:	5000 cd/m²
Maintenance Access:	Front access
List Price per Unit.	**€ 2.664,0**



Magic 500×500-P3,91

Code:	RGDIMCC5050
Installation:	Indoor
Pixel Pitch:	3,91
Display Type:	Magik
Dimension:	500×500
Brightness:	5000–5500 cd/m²
Maintenance Access:	Front + Rear Access
List Price per Unit.:	**€ 1.155,0**

LED DISPLAYS

Accessories Code	Description	Included	€/Pcs.
RCPUTECHA30	ASYNCHRONOUS CPU CARD 1024x512/512x1024	NO	€ 610,00
RWIFIND	WI-FI MODULE FOR CPU	NO	€ 90,00
RCPUTS802	CPU SYNCHRONOUS CARD (RIPRODUCE UNA PORZIONE DI SCHERMO)	NO	€ 615,00
RCPU8CNGRAPHIC	CPU CARD MESSAGE MANAGER	NO	€ 995,00
RTOPFIX	BAR FOR FIXING THE CEILING DISPLAY THROUGH THE HOLES	NO	€ 178,00
RLUMS	BRIGHTNESS SENSOR FOR AUTOMATIC ADJUSTMENT	NO	€ 101,00
RROUTGSM	4G ROUTER MODULE (SIM NOT INCLUDED)	NO	€ 489,00
RCOVERB	LATERAL INFILL CLOSURE (M.L.)	NO	€ 140,00

FUNCTIONS

Receiving cards (1 for each module).
Internal power supply.
Display management software.
Quick hooks between modules.





LED DISPLAYS

DISPLAY FOR MONITORING PHOTOVOLTAIC INDOOR+ACCESSORIES ON DEMAND







LED DISPLAYS

DISPLAY FOR MONITORING PHOTOVOLTAIC INDOOR/OUTDOOR+ACCESSORIES ON DEMAND



DISPLAY FOR MONITORING PHOTOVOLTAIC INDOOR/OUTDOOR+ACCESSORIES ON DEMAND





LED DISPLAYS

NEXTY QUEUE DISPLAY

Code	Description	€/Pcs.
RGC13RGB	7 COLOR RGB DISPLAY - CABINET 275 x 240 x 55 mm. - NUMBER HEIGHT 130 mm.	€ 287,67
RGC1TLCLINE	REMOTE CONTROL WITH 2 DIGIT DISPLAY - RANGE 30 m. (DISPLAY ITEM NEEDED)	€ 138,26

Accessories Code	Description	€/Pcs.
RGCDTK/S	2 DIGIT ROLL TEAR DISPENSER WITH WALL/PLANT FIXATION	€ 35,68
RGCTKS/2	PACK OF 6000 2 DIGIT TICKETS IN ROLLS BY 2000 PCS	€ 36,80
RGCPSD/S	SUPPORT WITH ANTI-TIRE PLINTH	€ 101,47

FUNCTIONS

The new generation NEXTY display offers a readability distance of over 50 m. thanks to the 13 cm. height of the character and the 7 different colors that can be set directly by the user with the remote control.
The display is also equipped with an acoustic emitter that warns users of the call, the intensity can be adjusted.
The remote control allows you to see the number you are calling directly on your screen, perfect for offices, counters or environments where the NEXTY display is not visible to the caller.



PHARMACY CROSSES

UNICA LED CROSS / 150 / 120 / 90





CODE	DESCRIPTION	SIZE	€/Pcs.
RUNICA150B	Double-sided LED cross, single colour: green, blue, red	1568x15680x135mm | Tubolare: 350mm	€ 11.016,20
RUNICA150M	Single-sided LED cross, single colour: green, blue, red	1568x15680x135mm	€ 9.366,00
RUNICA120B	Double-sided LED cross, single colour: green, blue, red	1180x1180x135mm | Tubolare: 350mm	€ 5.452,35
RUNICA120M	Single-sided LED cross, single colour: green, blue, red	1180x1180x135mm	€ 4.627,25
RUNICA100B	Double-sided LED cross, single colour: green, blue, red	1000x1000x130mm | Tubolare: 350mm	€ 5.218,20
RUNICA100M	SINGLE-SIDED LED CROSS, SINGLE COLOUR: GREEN, BLUE, RED	1000x1000x130mm	€ 4.437,70
RUNICA90B	DOUBLE-SIDED LED CROSS, SINGLE COLOUR: GREEN, BLUE, RED	880x880x135mm | Tubolare: 350mm	€ 4.961,75
RUNICA90M	SINGLE-SIDED LED CROSS, SINGLE COLOUR: GREEN, BLUE, RED	880x880x135mm	€ 4.225,85
RUNICA9016B	DOUBLE-SIDED LED CROSS, SINGLE COLOUR: GREEN, BLUE, RED	880x880x135mm | Tubolare: 350mm	€ 4.850,25
RUNICA9016M	SINGLE-SIDED LED CROSS, SINGLE COLOUR: GREEN, BLUE, RED	880x880x135mm	€ 4.125,50

BOLD LED CROSS / 120 / 90 / 70 / 50





CODE	DESCRIPTION	SIZE	€/Pcs.
RBOLD120B	Double-sided LED cross, single colour: green, blue, red	1144x1144x135mm | Tubolare: 350mm	€ 7.537,40
RBOLD120M	Single-sided LED cross, single colour: green, blue, red	1144x1144x135mm	€ 6.411,25
RBOLD90B	Double-sided LED cross, single colour: green, blue, red	880x880x135mm | Tubolare: 350mm	€ 5.686,50
RBOLD90M	Single-sided LED cross, single colour: green, blue, red	880x880x135mm	€ 4.827,95
RBOLD70B	Double-sided LED cross, single colour: green, blue, red	700x700x135mm | Tubolare: 350mm	€ 4.058,60
RBOLD70M	SINGLE-SIDED LED CROSS, SINGLE COLOUR: GREEN, BLUE, RED	700x700x135mm	€ 3.445,35
RBOLD50B	DOUBLE-SIDED LED CROSS, SINGLE COLOUR: GREEN, BLUE, RED	550x550x135mm | Tubolare: 350mm	€ 3.244,65
RBOLD50M	SINGLE-SIDED LED CROSS, SINGLE COLOUR: GREEN, BLUE, RED	550x550x135mm	€ 2.765,20

ACCESSORIES

CODE	DESCRIPTION	€/Pcs.
RCLOUD LAN	WEB PROGRAMMING VIA LAN (INTERNET CONNECTION REQUIRED)	INCLUDED
RLUMINOSITA'	AUTOMATIC GEOGRAPHICAL BRIGHTNESS	INCLUDED
RKIT DOT	DATE-TIME-TEMPERATURE DISPLAY	INCLUDED
RSTAFFE	STAINLESS STEEL BRACKETS FOR WALL OR POLE MOUNTING (ROUND OR SQUARE 80/100/120 mm)	INCLUDED
RCOLOR	MULTICOLOUR DISPLAY ANIMATIONS, TEXTS, DOT	€ 446,00
RCLOUD SIM	WEB PROGRAMMING WITH 4G MODEM (SIM WITH 5 YEARS OF TRAFFIC INCLUDED)	€ 501,75
RCROSSCAL	ADVANCED MANAGEMENT SOFTWARE AUTOMATIC DAY/NIGHT MESSAGE SHIFTS AND HOLIDAYS	€ 278,75
RCROSSCALBASE	WEEKLY CYCLICAL MANAGEMENT SOFTWARE AUTOMATIC DAY/NIGHT MESSAGE	€ 133,80
RMETEO	WEATHER FORECAST	€ 223,00
RSANTO	DISPLAY OF SAINT OF THE DAY	€ 111,50
RNEWS	DISPLAY OF NEWS FROM RSS FEED	€ 167,25
RARIA	DISPLAY OF AIR QUALITY LEVEL	€ 223,00
RPOLLINE	DISPLAY OF POLLEN CONCENTRATION	€ 223,00

PHARMACY CROSSES

MODULAR LED CROSS / 150 / 90



CODE	DESCRIPTION	SIZE	€/Pcs.
MOD150/B	Double-sided LED cross, single colour green	1568x1568x135mm | Tubolare: 350mm	€ 10.436,40
MOD150/M	Single-sided LED cross, single colour green	1568x1568x135mm	€ 8.875,40
MOD90/B	Double-sided LED cross, single colour green	880x880x135mm | Tubolare: 350mm	€ 4.872,55
MOD90/M	Single-sided LED cross, single colour green	880x880x135mm	€ 4.136,65

ZODIAC LED CROSS / 125



CODE	DESCRIPTION	SIZE	€/Pcs.
RZOD125B	Double-sided LED cross, single colour green	1250x1250x135mm | Tubolare: 350mm	€ 7.069,10
RZOD125M	Single-sided LED cross, single colour green	1250x1250x135mm	€ 6.009,85

SLIM GRAFICA LED CROSS / 90 / 80 / 70



CODE	DESCRIPTION	SIZE	€/Pcs.
RSLIM90GRB	Croce led BIFACCIALE MONOCOLORE VERDE	900x900x30mm | Tubolare: 350mm	€ 4.359,65
RSLIM90GRM	Croce led MONOFACCIALE MONOCOLORE VERDE	900x900x30mm	€ 3.701,80
RSLIM80GRB	Croce led BIFACCIALE MONOCOLORE VERDE	800x800x30mm | Tubolare: 350mm	€ 4.125,50
RSLIM80GRM	Croce led MONOFACCIALE MONOCOLORE VERDE	800x800x30mm	€ 3.512,25
RSLIM70GRB	Croce led BIFACCIALE MONOCOLORE VERDE BLU ROSSA	675x675x30mm | Tubolare: 350mm	€ 3.367,30
RSLIM70GRM	Croce led MONOFACCIALE MONOCOLORE VERDE BLU ROSSA	675x675x30mm	€ 2.854,40

ACCESSORIES

CODE	DESCRIPTION	€/Pcs.
RCLOUD LAN	WEB PROGRAMMING VIA LAN (INTERNET CONNECTION REQUIRED)	INCLUDED
RLUMINOSITA'	AUTOMATIC GEOGRAPHICAL BRIGHTNESS	INCLUDED
RKIT DOT	DATE-TIME-TEMPERATURE DISPLAY	INCLUDED
RSTAFFE	STAINLESS STEEL BRACKETS FOR WALL OR POLE MOUNTING (ROUND OR SQUARE 80/100/120 mm)	INCLUDED
RCLOUD SIM	MULTICOLOUR DISPLAY ANIMATIONS, TEXTS, DOT	€ 501,75
RCROSSCAL	WEB PROGRAMMING WITH 4G MODEM (SIM WITH 5 YEARS OF TRAFFIC INCLUDED)	€ 278,75
RCROSSCALBASE	ADVANCED MANAGEMENT SOFTWARE AUTOMATIC DAY/NIGHT MESSAGE SHIFTS AND HOLIDAYS	€ 133,80
RSANTO	WEEKLY CYCLICAL MANAGEMENT SOFTWARE AUTOMATIC DAY/NIGHT MESSAGE	€ 111,50
RNEWS	WEATHER FORECAST	€ 167,25

PHARMACY CROSSES

SLIM LED CROSS / 90 / 70 / 50





CODE	DESCRIPTION	SIZE	€/Pcs.
RSLIM90CLOCKB	Double-sided LED cross with green, blue and red ODT	875x875x30mm | Box: 395mm	€ 3.568,00
RSLIM90CLOCKM	Single-sided LED cross with green, blue and red OD	875x875x30mm	€ 2.899,00
RSLIM90FARMB	Double-sided LED cross with green, blue and red FARMACIA lettering	875x875x30mm | Box: 395mm	€ 3.478,80
RSLIM90FARMM	Single-sided LED cross with green, blue and red FARMACIA lettering	875x875x30mm	€ 2.954,75
RSLIM90LINEARB	Double-sided LED cross with green, blue and red LINEAR lettering	875x875x30mm | Box: 395mm	€ 3.534,55
RSLIM90LINEARM	SINGLE-SIDED LINEAR LED CROSS IN GREEN, BLUE AND RED	875x875x30mm	€ 3.010,50
RSLIM70CLOCKB	DOUBLE-SIDED LED CROSS WITH GREEN, BLUE AND RED ODT	675x675x30mm | Box: 350mm	€ 2.899,00
RSLIM70CLOCKM	SINGLE-SIDED LED CROSS WITH ODT GREEN BLUE RED	675x675x30mm	€ 2.820,95
RSLIM70LINEARB	DOUBLE-SIDED LINEAR LED CROSS GREEN BLUE RED	675x675x30mm | Box: 350mm	€ 2.787,50
RSLIM70LINEARM	SINGLE-SIDED LINEAR LED CROSS GREEN BLUE RED	675x675x30mm	€ 2.419,55
RSLIM50LINEARB	DOUBLE-SIDED LINEAR LED CROSS GREEN BLUE RED	501x501x30mm | Box: 300mm	€ 2.430,70
RSLIM50LINEARM	SINGLE-SIDED LINEAR LED CROSS GREEN BLUE RED	501x501x30mm	€ 2.073,90

ACCESSORIES

CODE	DESCRIPTION	€/Pcs.
RTELECOMANDO	REMOTE CONTROL FOR CROSS MANAGEMENT	INCLUDED
RLUMINOSITA'	AUTOMATIC BRIGHTNESS SENSOR	INCLUDED
RKIT DOT	DATE, TIME AND TEMPERATURE DISPLAY (SLIM CLOCK crosses only)	INCLUDED
RSTAFFE	STAINLESS STEEL BRACKETS FOR WALL OR POLE MOUNTING (ROUND OR SQUARE 80/100/120 mm)	INCLUDED
RLEDP ANFR/B	DOUBLE-SIDED LED PANEL WITH INDICATOR ARROW DIM. 501 x 236 mm	€ 947,75
RLEDPANFAR/B	DOUBLE-SIDED LED PANEL WITH PHARMACY LETTERING DIM. 501 x 236 mm	€ 947,75
RLEDP ANSEL/B	DOUBLE-SIDED LED PANEL WITH SELF 24 H LETTERING DIM. 673 x 276 mm	€ 947,75
RLEDP ANFR/M	SINGLE-SIDED LED PANEL WITH INDICATOR ARROW DIM. 501 x 236 mm	€ 747,05
RLEDPANFAR/M	SINGLE-SIDED LED PANEL WITH PHARMACY LETTERING DIM. 501 x 236 mm	€ 747,05
RLEDP ANSEL/M	SINGLE-SIDED LED PANEL WITH SELF 24 SIGN DIM. 673 x 276 mm	€ 747,05
RDOPPIO ALI	Separate power supply CROSS - CLOCK standard on SlimClock models	INCLUSO
RBS/SLIMM	SPACED BOX WITH 1.5 m CONNECTION CABLE.	€ 278,75
RTELECOMANDO+	ADDITIONAL REMOTE CONTROL	€ 78,05

SIRIO LED CORSS / 40 / 30





CODE	DESCRIPTION	SIZE	€/Pcs.
RSLIM90CLOCKB	Double-sided LED cross with green, blue and red ODT	875x875x30mm | Box: 395mm	€ 3.978,32
RSLIM90CLOCKM	Single-sided LED cross with green, blue and red OD	875x875x30mm	€ 3.232,39
RSLIM90FARMB	Double-sided LED cross with green, blue and red FARMACIA lettering	875x875x30mm | Box: 395mm	€ 3.878,86
RSLIM90FARMM	Single-sided LED cross with green, blue and red FARMACIA lettering	875x875x30mm	€ 3.294,55
RSLIM90LINEARB	Double-sided LED cross with green, blue and red LINEAR lettering	875x875x30mm | Box: 395mm	€ 3.941,02
RSLIM90LINEARM	SINGLE-SIDED LINEAR LED CROSS IN GREEN, BLUE AND RED	875x875x30mm	€ 3.356,71
RSLIM70CLOCKB	DOUBLE-SIDED LED CROSS WITH GREEN, BLUE AND RED ODT	675x675x30mm | Box: 350mm	€ 3.232,39
RSLIM70CLOCKM	SINGLE-SIDED LED CROSS WITH ODT GREEN BLUE RED	675x675x30mm	€ 3.145,36
RSLIM70LINEARB	DOUBLE-SIDED LINEAR LED CROSS GREEN BLUE RED	675x675x30mm | Box: 350mm	€ 3.108,06
RSLIM70LINEARM	SINGLE-SIDED LINEAR LED CROSS GREEN BLUE RED	675x675x30mm	€ 2.697,80
RSLIM50LINEARB	DOUBLE-SIDED LINEAR LED CROSS GREEN BLUE RED	501x501x30mm | Box: 300mm	€ 2.710,23
RSLIM50LINEARM	SINGLE-SIDED LINEAR LED CROSS GREEN BLUE RED	501x501x30mm	€ 2.312,40

ACCESSORIES

CODE	DESCRIPTION	€/Pcs.
RSELETTORE MAGNETICO	MAGNET FOR CROSS MANAGEMENT (SIRIO 30,40 crosses)	INCLUDED
RSTAFFA	STAINLESS STEEL BRACKET FOR WALL OR ROUND AND SQUARE POLE (80, 100, 120 mm)	INCLUDED

PHARMACY CROSSES

PHOTOVOLTAIC LED CROSS / 90

CODE	DESCRIPTION	SIZE	€/Pcs.
RSLIM90LINEARSOLAREB	Double-sided LED cross for outdoor use with photovoltaic kit	875x875x30mm | Box: 395mm	€ 6.244,00



KIT CONTENTS
• Slim90 Linear LED cross with remote control
• Pole mounting bracket (round or square 80/100/120 mm)
• Control box (dimensions: 325 x 420 x 190 mm)
• Programmable digital timer
• Photovoltaic card
• Cross CPU cards
• 55Ah battery
• 5/12V 10A DC/DC converter
• 12V regulator
• Key selector switch
• 140/160Wp photovoltaic panel
• Photovoltaic panel bracket

PHARMACY CROSSES

STAFFE FUORI STANDARD

DESCRIPTION	€/Pz.
Additional cost per pair of stainless steel brackets for 150mm square pole + collar	€ 267,60
Additional cost per pair of stainless steel brackets for 150mm round pole + collar	€ 267,60
Additional cost per pair of 90° stainless steel brackets with slot	€ 267,60
Additional cost per pair of 500mm long stainless steel brackets	€ 501,75
Additional cost per pair of oversized 350mm stainless steel wall brackets	€ 245,30
Cost per pair of standard 200mm stainless steel wall brackets	€ 401,40

CROSS PAINTING

DESCRIPTION	€/Pcs.
Green powder coating RAL 6005	INCLUDED
Grey powder coating RAL 9006	INCLUDED
Cost of custom RAL colour available	€ 401,40
Cost of non-standard RAL colour (if available)	TO BE DEFINED
Coating of brackets and cross tubes	€ 501,75

NON-STANDARD MECHANICS

DESCRIPTION	€/Pcs.
Mechanism for square pole head installation (minimum 100 mm)	€ 869,70
Mechanism for other types of installation	to be determined (min. € 869,70)